



JAGWIRE™
2026 OEM product catalog



We specialize in one thing, and we do it well.

Jagwire 只專心致力於一件事，並將它做到盡善盡美。

1995 March Jagwire brand was born with the simple goal of providing the best shifting and braking systems for bicycle riders, dealers, and manufacturers. We're honored and humbled that our products have been so widely accepted in the industry for so many years and that our business continues to grow.

And while we're continuously focused on the future and developing the best assortment of bike products available, we want to take a few minutes to thank all of our partners and customers.

Innovative, collaborative, passionate people.

創新,合作,熱情的團隊



INDEX 目錄

03	Cable	內線系統
04	Brake Housing	煞車外殼
05	Shift Housing	變速外殼
07	Housing Color	外殼顏色
09	3.5mm housing (Shifting & Dropper)	3.5mm外殼
11	Steering Cable Set	轉向線組
13	Pro Dropper System	專業升降座管線控系統
16	Housing Parts	外殼零件
22	Wire Holder	集線器
26	Tube Tops	保護套
27	Frame Parts	車架零件
28	Frame Plugs	車架塞蓋
30	Cable Parts	內線零件
31	Braking Parts	煞車零件
33	Adjuster	調整螺絲
36	Hydraulic System	油壓系列
45	Disc Brake Pads	來令片
50	Brake Pads	煞車皮
54	Brake Rotors	碟煞碟盤
56	Tool	工具




Cable System 內線系統

Elite




- ▲ Polished Ultra-slick cable with **Slick Lube** housing which delivers smooth braking performance.
超低摩擦係數，搭配JAGWIRE全注油**Slick Lube**外殼，提供精準的變速/順暢的煞車手感
- ▲ **Uncoated cable makes easier installation.**
奈米研磨無批覆層內線使組裝更加簡易
- ▲ STS-EL(Polished Ultra-Slick, Stainless)奈米級拋光研磨不鏽鋼內線

Pro



- ▲ Polished Slick Stainless: Slick Stainless cable with a Polishing process removes imperfections and makes surface smoother which can offer lower friction.
不鏽鋼研磨內線加上拋光製程可移除不平整表面，讓線身更平整並且提供更低摩擦係數
- ▲ Uncoated cable makes easier installation
拋光製程無批覆層內線使組裝更容易
- ▲ STS-PS(Polished Slick Stainless) 高精拋光研磨不鏽鋼內線



- ▲ Pre-stretching can more directly on the feedback of brake & precise shifting performance
內線已做預拉整直可讓煞車回饋更直接與更精準的變速
- ▲ Smooth surface & low friction
表面光滑&低摩擦力
- ▲ STS(Slick, Stainless)不鏽鋼研磨內線
GAS(Slick, Galvanized)鍍鋅研磨內線

Universal




- ▲ Regular cable
標準內線系統
- ▲ STR(Stainless Steel)不鏽鋼內線
GAR(Galvanized Steel)鍍鋅內線

Cable Nipple Options 內線鉗頭規格


Nipples are die-cast onto cable ends for durability and strength, adding to rider safety and confidence. All nipple types are compatible with any required cable specifications.

內線尾端的鉗頭是由鋅水經過鑄造程序所完成的，耐久性與強度提供了更安全與更安心的騎乘條件。所有的鉗頭樣式皆能夠符合目前所有煞車與變速系統的需求。


Brake 煞車



B02 (7*6) S型
Shimano® & SRAM®
MTB, BMX system compatible
適用於Shimano® & SRAM®
登山車, 表演車煞車系統




B04 (6*11) D型
Shimano® & SRAM®
Road System compatible
適用於Shimano® & SRAM®
公路車系統




B05 (5.5*11.6) D型
Campagnolo®
Road brake system compatible
適用於Campagnolo®
公路車煞車系統

Derailleur 變速




D01 (4.3*4.4) L型
Shimano® & SRAM®
shift system compatible
適用於Shimano® & SRAM®
變速系統



D02 (3.9*5) L型
Campagnolo® shift system
compatible
適用於Campagnolo®變速系統

Brake Housing 煞車外殼

Elite




KEB™-SL

- ▲ Kevlar® brand fiber reinforced with comperssionless housing for super braking
Kevlar®(克維拉®)高性能纖維包覆著直絲結構鋼線提供高性能煞車
- ▲ Ideal for cable-actuated disc brakes
機械式碟煞的最佳搭配首選
- ▲ Super light weight (30% less than standard coiled brake housing)
輕量化(較一般環狀外殼輕30%)
- ▲ Hi-tech look
高技術的外觀
- ▲ Comperssionless
零壓縮比
- ▲ Slick-Lube specified
搭配順滑全注油內管
- ▲ 5.0mm Brake housing
5.0mm 煞車外殼
- ▲ Ideal for 1.5mm cable
搭配1.5mm內線

CAUTION: Reinforced (linear shell) brake housing must be used with Jagwire specific lined alloy ferrules or POP adapters to ensure comperssionless braking performance

注意: 直絲結構強化外殼使用於煞車線必須搭配Jagwire特殊襯裡鋁端套系列或POP端套系列已確保更完整的煞車性能，POP端套為V煞夾器彎管專門設計的


Pro



CGX-SL

- ▲ Low comperssion
低壓縮比
- ▲ Low friction
低摩擦係數
- ▲ With Slick Lube liner
搭配順滑全注油內管

Universal




CEX

- ▲ Regular housing
標準外殼
- ▲ 5.0mm Brake housing
5.0mm 煞車外殼

Note: Standard OD=5mm for Brake Housing
備註: 煞車外殼標準外徑5mm


Shift Housing 變速外殼

Elite



3.5mm LEX-SL


- ▲ OD=3.5mm
- ▲ Compatible with 1.1 mm / 1.2 mm cables
適配 1.1 mm / 1.2 mm 內線
- ▲ Lighter (↓30%) & flexible (↑30%)
輕量化(↓30%)&線身更加柔軟(↑30%)
- ▲ The flexible feature helps internal cables assemble more easy and efficiently.
適用於內走線車架系統·使組裝更有效率



FLEXII-SL

- ▲ Comperssionless
直絲結構·零壓縮比
- ▲ Ultra low friction
超低摩擦係數
- ▲ With Slick Lube liner
搭配順滑全注油內管
- ▲ The flexible feature helps internal cables assemble more easy and efficiently.
適用於內走線車架系統·使組裝更有效率


Pro



LEX-SL

- ▲ Comperssionless
直絲結構·零壓縮比
- ▲ Low friction
低摩擦係數
- ▲ With Slick Lube liner
搭配順滑全注油內管


Universal



LEX

- ▲ Comperssionless
直絲結構·零壓縮比
- ▲ Regular housing
標準外殼

Note: Standard OD=4mm for Shift Housing. OD=4.5mm for Braided Series
備註：變速外殼標準外徑4mm，編織系列外徑為4.5mm



CGX-SL

- ▲ OD=4mm, only recommended on rear shift area
外徑4mm·只建議搭在後變後段
- ▲ Flexible structure
結構柔軟
- ▲ Low friction
低摩擦係數
- ▲ With Slick Lube liner
搭配順滑全注油內管

Housing Color 外殼顏色



BICYCLE CABLE HOUSING 外殼系列

Standard Series 標準系列

※All colors are available for **Brake Housing (CEX, CGX-SL)** and **Shift Housing (LEX, LEX-SL)** except #09.

各色均適用於**煞車CEX,CGX-SL**外殼系列與**變速 LEX, LEX-SL**外殼系列,除#09外

※#09 Translucent available with 5mm on coiled type housing only.

#09只提供5mm CEX環狀結構規格

	# 01 白 White		# 02 灰 Gray		# 07 黑 Black		# E6 西帝藍 SID Blue
	# 56 高貴紅 Red		# 86 鵝黃 Yellow		# 35 科技灰 Hi-Tech Gray		# 09 透明 Translucent
	# 71 珍珠銀 Pearl silver		# 24 熱情粉紅 Hot Pink		# 54 有機綠 Organic Green		# E9 銀河灰 Ice Gray
	# J4 必洋奇藍 Bianchi® Celeste		# Q1 艷陽橘 Orange		# E4 神秘紫 Purple		# R3 天空藍 Sky Blue

Frozen Series 平光系列

※All colors are available for **Brake Housing (CGX-SL)** and **Shift Housing (LEX-SL)**

各色均適用於**煞車CGX-SL**外殼系列,與**變速 LEX-SL**外殼系列

	#07Z 平光黑 Frozen Black
--	--------------------------

ID-line 指示線系列

※All colors are available for **Brake Housing (CGX-SL)** and **Shift Housing (LEX-SL)**.

各色均適用於**煞車CGX-SL**外殼系列,與**變速 LEX-SL**外殼系列

	# K4 黑+白 #07 black + #01 white line		# KA 黑+必洋奇藍 #07 black+ #J4 Bianchi® Celeste line
--	--	---	--

Braided Series 編織系列

※O.D. 5mm available for brake, **O.D. 4.5mm available for shift.**

煞車外殼外徑為5mm · 變速外殼外徑為4.5mm

※All colors are available for **Brake Housing (CGX-SL)** and **Shift Housing (LEX-SL)**.

各色均適用於**煞車CGX-SL**外殼系列與**變速 LEX-SL**外殼系列

Color options 可供選擇顏色

	# 95 編織棕 Braided carbon		# 99 編織鈦 Braided taitanium		# A3 編織黑 Braided black		# A9 細編織棕 Light braided carbon
	# N1 編織銀 Braided silver		# N2 編織金 Braided gold		# N3 細編織鈦 Light Braided taitanium		# M1 編織白 Braided white
	# B8 碳纖黑 Carbon Black						

KEB Reinforced Series KEB強化編織系列

※ All color available for **Brake Housing KEB-SL**

各顏色均適用於**煞車KEB-SL**外殼系列

	# B8 碳纖黑 Carbon Black		# E4 神秘紫 Purple		# 54 有機綠 Organic Green		# 56 高貴紅 Red
	# E6 西帝藍 SID Blue		# Q1 艷陽橘 Orange		# E9 銀河灰 Ice Gray		# 86 鵝黃 Yellow

NOTE:MOQ requirement for some colors.

備 註:特定顏色有最低購買量的限制

FLEXIBLE

Seamless Routing

3.5_{mm} Housing

40% Faster


30% Lighter



Three Innovations : Lightweight, Speed, Control

Housing 外殼






Shifting & Dropper 適用變速&升降座管



3.5mm LEX-SL


- ▲ OD=3.5mm
- ▲ Compatible with 1.1 mm / 1.2 mm cables
適配 1.1 mm / 1.2 mm 內線
- ▲ Lighter (↓30%) & flexible (↑30%)
輕量化(↓30%)&線身更加柔軟(↑30%)
- ▲ The flexible feature helps internal cables assemble more easy and efficiently.
適用於內走線車架系統，使組裝更有效率

End cap for 3.5mm 3.5mm專用端套

Part No.		Description	Material / Finish
C2400005		 Open End Cap Fit 3.5mm Housing 標準端套 適用3.5mm外殼	PA66 塑膠
RB0004		 Sealed End Cap Fit 3.5mm Housing 油封端套 適用3.5mm外殼	PA66 塑膠
C2400010		 Open End Cap Fit 3.5mm Housing 標準端套 適用3.5mm外殼	Aluminum 鋁
RB0005		 Sealed End Cap 油封端套 適用3.5mm外殼	Aluminum 鋁
C2400006		 Adapter 3.5mm to 4mm 3.5mm轉4mm端套	Aluminum 鋁



Housing 外殼



KEB™-SL

- ▲ OD=6mm 外徑=6mm
- ▲ Kevlar® brand fiber reinforced with comperssionless housing for super braking
Kevlar®(克維拉®)高性能纖維包覆著直絲結構鋼線提供高性能煞車
- ▲ Hi-tech look 高技術的外觀
- ▲ Comperssionless 零壓縮比
- ▲ Slick-Lube specified 搭配順滑全注油內管


Color Options 可供選擇顏色

07 黑
Black

Pro Dropper System



Housing 外殼



3mm LEX-SL

- ▲ OD=3mm
外徑=3mm
- ▲ Flexible housing construction
柔軟變速外殼結構
- ▲ With Slick Lube liner
搭配順滑全注油內管

CAUTION: 3mm LEX-SL housing only can be applied with the Dropper system.

注意: 3mm LEX-SL外殼僅可使用在升降座管線控系統。



Flexible Construction 結構柔軟

- ▲ Flexible shift housing and cable improves performance with internal routing and tight housing bends
柔軟的外殼和內線搭配，可克服內走線較嚴苛的角度

Color Options 可供選擇顏色

07 黑
Black

Pro Dropper System Accessories 專業升降座管線控系統零件

Part No.			Description	Material / Finish
CC1026DB			Open End Cap Fits 3mm dropper housing 標準端套,適用3mm升降座管外殼	Nylon/Black 尼龍/黑色
CC1043BJ			Open End Cap Fits 3mm dropper housing 標準端套,適用3mm升降座管外殼	Aluminum/Anodized 鋁/陽極



Cable 內線



▲ OD=0.9mm
外徑=0.9mm

▲ Polished Stainless: Stainless cable with a Polishing process removes imperfections and makes surface smoother which can offer lower friction.
不鏽鋼內線加上拋光製程可移除不平整表面，讓線身更平整並且提供更低摩擦係數

▲ Lighter (↓40%) & flexible
輕量化(↓40%) & 線身更加柔軟

▲ STR-PS(Polished stainless steel) 拋光不銹鋼內線。



▲ OD=0.9mm
外徑=0.9mm

▲ Lighter (↓40%) & flexible
輕量化(↓40%) & 線身更加柔軟

▲ STR(Stainless Steel)不銹鋼內線

Enhanced Performance 增加做動順暢度

▲ 0.9mm Stainless Cable with slick-lube liner improves dropper post performance
0.9mm不鏽鋼內線搭配注油外殼可增加伸縮座桿做動順暢度

Pro Dropper System Accessories 專業升降座管線控系統零件








Part No.	Description	Material / Finish
CCG091UB-1	Heat Shrink Shims ID Ø1.5	
	熱縮套 內徑 Ø1.5	PO/Black
	Note: When you use a pointed set screw or bigger than a M4 screw, it must be assembled with a 0.9mm cable 備註: 使用尖頭或大於M4的止付螺絲需搭配熱縮套搭配0.9mm內線	PO塑膠/黑色



Pro Dropper System



Guide Pipe 變速器彎管

Part No.	Description		Material / Finish
CCK034TB			Guide Pipe 135° 變速器彎管 135° Stainless steel tube w/ aluminum end cap 不鏽鋼導管/鋁端套
CCK028AJ			Guide Pipe 90° 變速器彎管 90° Stainless steel tube w/ aluminum end cap 不鏽鋼導管/鋁端套
CC727			Guide Pipe 90° 變速器彎管 90° Stainless steel tube w/ aluminum end cap 不鏽鋼導管/鋁端套
CCK029T9			Guide Pipe 110° 變速器彎管 110° Stainless steel tube w/ aluminum end cap 不鏽鋼導管/鋁端套
CC401-10			Guide Pipe 0 ~ 180° flexible 自由式變速器彎管 0 ~ 180° Stainless steel tube w/ aluminum end cap 不鏽鋼導管/鋁端套
CC401-11			Guide Pipe 0 ~ 180° flexible 自由式變速器彎管 0 ~ 180° Stainless steel tube w/ aluminum end cap/Black 不鏽鋼導管/鋁端套/黑色
CC994			Guide Pipe 0 ~ 180° flexible 自由式變速器彎管 0 ~ 180° Stainless steel tube w/ aluminum end cap 不鏽鋼導管/鋁端套







Accessories 配件







ACCESSORIES

Housing Parts

Open End Cap for Shift Housing 變速用標準端套





Part No.		Description	Material / Finish	
 CC464BJ Black/黑色	 CC464CJ CP/本色	 CC464OJ Gold/金色	 Open End Cap, Fits 4mm Shifting housing (Recommended Use: SRAM® & Shimano® Shifting System) 標準端套, 適用4mm變速外殼 (建議使用於SRAM® & Shimano®系統)	Aluminum / Anodized 鋁/陽極
 CC464RJ Red/紅色	 CC464SJ Silver/銀色	 CC464UJ Blue/藍色	 CC464EJ Cash Green/美金綠	
 CC115-4I Black/黑色		 Open End Cap (CNC), Fits 4mm thicker design for better enforcement 標準端套(CNC車削), 適用4mm變速外殼· 前端加厚設計·強度增加	Brass / Zinc Plated 銅/鍍鋅	
 CC115-4H Black/黑色	 CC115-4HS Silver/銀灰色	 Open End Cap, Fits 4mm housing 標準端套, 適用4mm變速外殼	Brass/Chromed Black Zinc /Silver Nickel 銅/三價鉻鍍黑鋅/銀鍍鎳	
 CC115-4F Black/黑色	 CC115-4FS Silver/銀灰色	 Open End Cap, Fits 4mm housing 標準端套, 適用4mm變速外殼	PA 塑膠	
 CM115-4L Black/黑色	 CM115-4N silver/銀色	 Open End Cap (CNC) Fit 4.5mm Housing 標準端套(CNC), 適用4.5mm外殼	Brass/Chromed Black Zinc /Silver Nickel 銅/三價鉻鍍黑鋅/銀鍍鎳	

Open End Cap for Brake Housing 煞車用標準端套

Part No.			Description	Material / Finish
 CC715BJ Black/黑色	 CC715CJ CP/本色	 CC715OJ Gold/金色	 Open End Cap, Fits 5mm Brake housing 標準端套, 適用5mm煞車外殼	Aluminum/Anodized 鋁/陽極
 CC715RJ Red/紅色	 CC715SJ Silver/銀色	 CC715UJ Blue/藍色	 CC715EJ Cash Green/美金綠	
 CC115-3 Satin silver/銀色	 CC115-3E Black/黑色	 Open End Cap (CNC), Fits 5mm CEX, CGX 標準端套(CNC車削), 適用 5 mmCEX, CGX外殼 前端加厚設計・強度增加	Brass/Chromed Black Zine /Silver Nickel 銅/三價鉻鍍黑鋅/銀鍍鎳	
 CC115-2D Satin silver/銀色	 CC115-2DE Black/黑色	 Non-Crimping End Cap, Fits 5mm CEX, CGX Taiwan Patent: 158536 爪式端套, 適用5mmCEX・CGX外殼 台灣專利:158536	Brass/Chromed Black Zine /Silver Nickel 銅/三價鉻鍍黑鋅/銀鍍鎳	
 CC115-2 Satin silver/銀色	 CC115-2E Black/黑色	 Open End Cap, Fits 5mm CEX, CGX 標準端套, 適用5mmCEX・CGX外殼	Brass/Chromed Black Zine /Silver Nickel 銅/三價鉻鍍黑鋅/銀鍍鎳	





Sealed End Cap for Shift Housing 變速用油封端套

Part No.	Description		Material / Finish	
 CM176BJ Black/黑色		Sealed End Cap, Fits 4mm LEX-SL housing 油封端套, 適用4mm LEX-SL變速外殼	Aluminum / Anodized 鋁/陽極	
 CM176OJ Gold/金色	 CM176RJ Red/紅色	 CM176SJ Silver/銀色	 CM176UJ Blue/藍色	 CM176EJ Cash Green/美金綠
 CM007 Black/黑色	 CM007S Silver/銀灰色		Sealed End Cap, Fits 4mm LEX-SL housing 油封端套, 適用4mm LEX-SL變速外殼	PA 塑膠
 CM207-A Black/黑色		Sealed End Cap, Fits 4mm LEX-SL housing 油封端套, 適用於4mm LEX-SL外殼	Brass / Zinc Plated 銅/鍍鋅	
 CM174BJ Black/黑色		Sealed End Cap, Fts 4.5mm LEX-SL housing 油封端套, 適用4.5mm LEX-SL變速外殼	Aluminum / Anodized 鋁/陽極	





Lined End Caps 襯裡端套

Part No.		Description	Material / Finish	
 CM251BJ Black/黑色		Short Lined End Cap Fits 4mm housing 短襯裡端套, 4mm外殼使用	Aluminum / Anodized 鋁/陽極	
 CM251OJ Gold/金色	 CM251RJ Red/紅色	 CM251SJ Silver/銀色	 CM251UJ Blue/藍色	 CM251EJ Cash Green/美金綠
 CM227BJ L:92mm CM187BJ L:110mm CM326BJ L:800mm CM268BJ L:1500mm		Long Lined End Cap, Fits 4mm housing built-out polymer nose, prevents abrasion of coated cables and reduces friction 長襯裡端套, 適用4mm外殼, 防止刮傷內線批覆層並減少摩擦	Aluminum/Anodized 鋁/陽極	
 CM173BJ Black/黑色		Lined End Cap, Fits 5mm Brake housing, built-out polymer nose, prevents abrasion of coated cables and reduces friction 襯裡端套, 適用5mm剎車外殼, 防止刮傷內線批覆層並減少摩擦	Aluminum/Anodized 鋁/陽極	
 CM173OJ Gold/金色	 CM173RJ Red/紅色	 CM173SJ Silver/銀色	 CM173UJ Blue/藍色	 CM173EJ Cash Green/美金綠





ACCESSORIES

Housing Parts

Dirt Guard 防汙泥端套組



Part No.			Description	Material / Finish
CM261BJ Black/黑色			Dirt Guard Kit, Fits 4mm Shifting housing, Prevent dust from entering the housing 防汙泥端套組, 適用4mm變速外殼, 防止髒汙進入外殼	Aluminum /Anodized Silicone Gel /Black 鋁/陽極 矽膠/黑色
CM276 Black/黑色			Dirt Guard Kits, Fits 4mm housing, Prevent dust from entering the housing 防汙泥端套組, 適用於4mm外殼,防止髒汙進入外殼	Plastic/ Silicone Gel/ Black 塑膠/矽膠/黑色
CM262BJ Black/黑色			Dirt Guard Kit, Fits 4.5mm Shifting housing, Prevent dust from entering the housing 防汙泥端套組, 適用4.5mm變速外殼, 防止髒汙進入外殼	Aluminum /Anodized Silicone Gel /Black 鋁/陽極 矽膠/黑色

Hooded End Cap 防汙泥端套(精實版)




Part No.			Description	Material / Finish
 CM260OJ Gold/金色	 CM260BJ Black/黑色		Hooded End Cap Fits 4mm Shifting housing, An Extra layer of protection against dirt 防汙泥端套(精實版) 適用於4mm外殼 增加結構防止髒汙進入	Alloy/ Anodized/Gold/Black NBR / Black 鋁/陽極/金色/黑色 橡膠/黑色
 CM271OJ Gold/金色	 CM271BJ Black/黑色		Hooded End Cap Fits 4.5mm Shifting housing, An Extra layer of protection against dirt 防汙泥端套(精實版) 適用於4.5mm外殼 增加結構防止髒汙進入	Alloy/ Anodized/Gold/Black NBR / Black 鋁/陽極/金色/黑色 橡膠/黑色
 CM269OJ Gold/金色	 CM269BJ Black/黑色		Hooded End Cap Fits 5.0mm brake housing, An Extra layer of protection against dirt 防汙泥端套(精實版) 適用於5mm外殼 增加結構防止髒汙進入	Alloy/ Anodized/Gold/Black NBR / Black 鋁/陽極/金色/黑色 橡膠/黑色




Anti-Kink End Cap 防折端套

Part No.	Description		Material / Finish
CC976 Black/黑色  	Anti-kink End Cap Fits 4mm Housing 防折端套 適用於4mm外殼		PP/Black 塑膠/黑色
CC978 Black/黑色  	Anti-kink End Cap Fits 5mm Housing 防折端套 適用於5mm外殼		PP / Black 塑膠/黑色

Connect End Cap 連接端套

Part No.	Description		Material / Finish
 CC729SJ Silver/銀色  CC729BJ Black/黑色 	Double-Ended Housing Connector 4.0 mm Derailleur Housing 雙邊外殼導引端套 4.0mm變速外殼		Aluminum 鋁
 CC728SJ Silver/銀色 	Double-Ended Housing Connector 4.5 mm Derailleur Housing 雙邊外殼導引端套 4.5mm變速外殼		Aluminum 鋁
 CC328AS-J Silver/銀色  CC328AB-J Black/黑色 	Double-Ended Housing Connector 5.0mm Brake housing 雙邊外殼導引端套 5.0mm煞車外殼		Aluminum 鋁









POP End Cap POP轉接端套

Part No.	Description		Material / Finish
 CM029SJ1 Silver/銀色  CM029BJ Black/黑色 	Fits 5mm Housing, designed specially for KEB® brake housing to work with a standard guide pipes and adjusters with a smaller inner diameter. 適用5mm外殼, 專為KEB外殼設計, 內縮設計剛好可放置於夾器內彎管		Aluminum / Anodized 鋁/陽極










ACCESSORIES

Housing Parts

Other 其他零件

Part No.		Description	Material / Finish
 CC115-9 Black/黑色		S Housing Holder, Fits 4 & 5mm housing S型導管集線器, 適用於 4、5mm外殼	POM 塑膠
 CM143 Black/黑色	 CM143W White/白色	 Rotating Hook, Fits 4mm & 5mm housing Rotate 360° degrees 導管集線器,適用於 4、5mm外殼 可360°旋轉	POM 塑膠
 CM143-1 Black/黑色		Rotating Hook, Fits 2.5mm E-shift & 5mm housing Rotate 360° degrees 導管集線器,適用於2.5mm電線及5mm 外殼可360°旋轉	POM 塑膠
 CC333-1		Housing Holder, Fits V-Brake 導管集線器, 適用於V型夾器後煞端	POM/Black 塑膠/黑色
 CC1010AB		Housing Holder, 4mm & 5mm 導管集線器 4mm & 5mm	POM/Black 塑膠/黑色
CC1054DB-J	 	Wire Hook Fit 3mm & 4mm & 5mm housing Open type 開放式三孔集線器 適用於3mm & 4mm & 5mm外殼	POM/Black 塑膠/黑色
CC999BJ	 	Wire Hook for Di2 EW-SD50 Fits 2.5mm E-shift & 5mm housing Open type 開放式雙孔整線器 適用於2.5mm電線及5mm外殼	Nylon/Black 尼龍/黑色
CC1009A1B-J	 	Wire Hook Fits 4mm & 5mm housing Open type 開放式雙孔整線器 適用於4mm及5mm外殼	Nylon/Black 尼龍/黑色














Other 其他零件

Part No.			Description	Material / Finish
CC1010A1B-J			Wire Hook Fits 4mm Shifting and E-system Housing Open type 開放式雙孔整線器 適用於4mm 變速・電動車電線	Nylon/Black 尼龍/黑色
CC1012A1B-J			Wire Hook For Di2 EW-SD50 Fits 2.5mm E-shift and 4mm housing Open type 開放式雙孔整線器 適用於2.5mm電線及4mm外殼	Nylon/Black 尼龍/黑色
CC1020DB-J			Wire Hook Fits 5mm & 5mm housing Open type 開放式雙孔整線器 適用於5mm&5mm外殼	Nylon/Black 尼龍/黑色
CC1027DB-J			Wire Hook Fits 3mm & 4mm housing Open type 開放式雙孔整線器 適用於3mm & 4mm 外殼	Nylon/Black 尼龍/黑色
CC1028DB-J			Wire Hook Fits 3mm & 5mm housing Open type 開放式雙孔整線器 適用於3mm & 5mm 外殼	Nylon/Black 尼龍/黑色
CC1039DB-J			Wire Hook for Di2 EW-SD300 Fits 2.3mm & 5mm housing Open type 開放式雙孔整線器 適用於2.3mm & 5mm 外殼	Nylon/Black 尼龍/黑色
C4100009			Wire Hook Fit 2mm & 4mm housing Open type 開放式雙孔集線器 適用於2mm & 4mm 外殼	Nylon/Black 尼龍/黑色
CCN062BJ			Wire Holder for E-bike E-bike集線器	Nylon/Black 尼龍/黑色
CM348BJ			Wire Holder with hook for E-bike 帶扣式E-bike集線器	Nylon/Black 尼龍/黑色









ACCESSORIES

Housing Parts

Other 其他零件

Part No.			Description	Material / Finish	
CCQ023YB-J			EZ Clip Ring ID Ø19mm,Open type Fits 3.2 mm wire 導線開口環 內徑 Ø19mm,適用3.2mm電線	Nylon/Black 尼龍/黑色	
CCQ024YB-J			EZ Clip Ring ID Ø28mm,Open type Fits 3.2 mm wire 導線開口環 內徑 Ø28mm,適用3.2mm電線	Nylon/Black 尼龍/黑色	
CCZ101A1B			Wire Clip Fits 2.5mm E-shift & 5mm housing 集線夾 適用2.5mm電線&5mm外殼	Nylon/Black 尼龍/黑色	
CC1021DB			Wire Clip Fits 4mm & 5mm housing 集線夾 適用4mm&5mm外殼	Nylon/Black 尼龍/黑色	
			Foam tube 發泡管	NBR/Black 橡膠/黑色	
SFA07ANM		OD Ø8*IDØ5 外徑Ø8*內徑Ø5	SFA07APM		OD Ø11*IDØ6 外徑Ø11*內徑Ø6
SFA07A5M		OD Ø8.5*ID Ø5.5 外徑Ø8.5*內徑Ø5.5	SFA07ARM		OD Ø11*IDØ8 外徑Ø11*內徑Ø8
SFA07A7M		OD Ø9*ID Ø6 外徑Ø9*內徑Ø6	SFA07AAM		OD Ø15*ID Ø9 外徑Ø15*內徑Ø9
SFA07A6M		OD Ø10*ID Ø7 外徑Ø10*內徑Ø7			
SF301AKM			Foam tube OD Ø10*ID Ø6 (Fixed Length Cutting) 發泡管 外徑Ø10*內徑Ø6(定尺裁切)	EPE/White 珍珠棉/白色	
CCZ107B			Spiral Wrapping Band OD: 10mm * Thickness: 0.8mm * Pitch: 12.3mm 捲式結束帶 外徑: 10mm * 厚度: 0.8mm * 螺距: 12.3mm	PE/Black PE塑膠/黑色	
CCZ107T			Spiral Wrapping Band OD: 10mm * Thickness: 0.8mm * Pitch: 12.3mm 捲式結束帶 外徑: 10mm * 厚度: 0.8mm * 螺距: 12.3mm	PE/Transparent PE塑膠/透明	
CCZ129B			Spiral Wrapping Band OD: 4.5mm * Thickness: 0.6mm * Pitch: 6.5mm 捲式結束帶 外徑: 4.5mm * 厚度: 0.6mm * 螺距: 6.5mm	PE/Black PE塑膠/黑色	





Other 其他零件

Part No.			Description	Material / Finish
SH507AYM			Abrasion Resistant Sleeve Open type,IDØ5 (Fixed Length Cutting) 開放式耐磨編織管 內徑Ø5(定呎裁切)	PET/Black 塑膠/黑色
SH507AM			Abrasion Resistant Sleeve Open type,IDØ8 (Fixed Length Cutting) 開放式耐磨編織管 內徑Ø8(定呎裁切)	PET/Black 塑膠/黑色
SH507AVM			Abrasion Resistant Sleeve Open type,IDØ13 (Fixed Length Cutting) 開放式耐磨編織管 內徑Ø13(定呎裁切)	PET/Black 塑膠/黑色
SH507AXM			Abrasion Resistant Sleeve Open type,IDØ25 (Fixed Length Cutting) 開放式耐磨編織管 內徑Ø25(定呎裁切)	PET/Black 塑膠/黑色
SAN07AWM			Nylon Tube OD: 6mm * 4.5mm Hardness: 80D 尼龍管 外徑: 6mm * 4.5mm 硬度: 80D	Nylon/Black 尼龍/黑色
SAN02AGM			Nylon Tube OD: 7mm * 5.5mm Hardness: 70D 尼龍管 外徑: 7mm * 5.5mm 硬度: 70D	Nylon/Transparent Black 尼龍/透明黑
SAN07AGM			Nylon Tube OD: 7mm * 5.5mm Hardness: 80D 尼龍管 外徑: 7mm * 5.5mm 硬度: 80D	Nylon/Black 尼龍/黑色
SAE0019M			PE tube OD: 1.9mm * 2.6mm PE內管 外徑: 1.9mm * 2.6mm	PE/transparent PE/透明
SAE0719M			PTFE tube OD: 1.9mm * 2.6mm PTFE內管 外徑: 1.9mm * 2.6mm	PE/Black PE/黑色
RT0009			Electric Cable Cover Fits 2.5mm cable Adhesive attached 電線固定貼 適用2.5mm電線 3M背膠設計	TPR/Black TPR橡膠/黑色
RT0017			Electric Cable Cover Fits 5mm cable Adhesive attached 電線固定貼 適用5mm電線 背膠設計	TPR/Black TPR橡膠/黑色
CM380B			Electric Cable Cover Fits 2.5mm cable Adhesive attached 電線固定貼 適用2.5mm電線 背膠設計	TPR/Black TPR橡膠/黑色
CM381B			Electric Cable Cover Fits 2.5mm cable Adhesive attached 電線固定貼 適用2.5mm電線 背膠設計	TPR/Black TPR橡膠/黑色






ACCESSORIES

Housing Parts










Other 其他零件

Part No.	Description	Material / Finish
 CCG004QBG Black/黑色 CCG004QGG Silver/銀色	 Dirt Guard Fits 4 & 4.5mm Nosed End Cap 矽膠防塵套, 適用4、4.5mm鼠尾端套	Silicone Gel 矽膠
 CCG014B Black/黑色 CCG014R Red/紅色	 Dirt Guard, Fits 4mm & 4.5mm Nosed End Cap 外殼防水套, 適用於4mm、4.5mm鼠尾端套	Silicone Gel 矽膠
 CCG047B	 Grub Seals, Fits Seal system Brake and Shift liner 迷你密封保護套 適用於全防護系統煞車與變速內管	Silicone Gel/Black 矽膠/黑色

Tube Tops 保護套系列

Part No.	Description	Material / Finish
 CCG074-QBJ Black/黑色 CCG074-QWJ White/白色	 Tube Tops 5G™ Frame Protector Fits 4, 4.5 & 5mm housing Clamp Type 5G雙開口式車架保護套 適用於4、4.5、5mm外殼	TPR TPR橡膠
 CCG017-BJ Black/黑色 CCG017-WJ White/白色	 Tube Tops 3G™ Frame Protector, Fits 4, 4.5 & 5mm housing Clamp Type 3G C型扣式車架保護套, 適用於4、4.5、5mm外殼	TPR TPR橡膠
 CCG025-BJ Black/黑色 CCG025-WJ White/白色	 Tube Tops 3G™ Frame Protector, Fits 5.5mm housing, Clamp Type 3G C型扣式車架保護套, 適用於5.5mm外殼	TPR TPR橡膠
 CCG037	 Tube Tops 4G, Frame Protector, Fit 4, 4.5 & 5mm housing, Slide type 4G車架保護套, 套入方式組裝, 適用於4、4.5、5mm外殼	Silicone Gel/Black Yellow logo 矽膠/黑色 黃色Logo
 CCG043BJY Black/黑色 CCG043TJS Translucent/透明	 Tube Tops™ Frame Protector, Fits 4, 4.5 & 5mm Frame, Slide type. 車架保護套,以套入方式組裝, 適用於4、4.5、5mm外殼	Silicone Gel Yellow logo/Grey logo 矽膠 黃色Logo/ 灰色Logo
 CCG052B Black/黑色 CCG052T Translucent/半透明 CCG052R Red/紅色	 Mini Tube Tops™ Frame Protector, Fits 4, 4.5 & 5mm housings, Slide type, 迷你型車架保護套,以套入方式組裝, 適用於4、4.5、5mm外殼	Silicone Gel 矽膠












Frame Parts 車架零件

Part No.	Description		Material / Finish
CC359		 Housing/Hose Guide Fits Frame Loops 5.5mm 車架止栓導管座, 適用於5.5mm外殼	PP / Black 塑膠/黑色
CC359-1		 Housing/Hose Guide Fits Frame Loops 5mm 車架止栓導管座, 適用於5mm外殼	PP / Black 塑膠/黑色
CC359-2		 Housing/Hose Guide Fits Frame Loops 4 & 4.5mm 車架止栓導管座, 適用於4、4.5mm外殼	PP / Black 塑膠/黑色
CC359-4		 Housing/Hose Guide one side Fits Frame Loops 4 & 4.5mm 車架止栓導管座,單邊 適用於4、4.5mm外殼	PP / Black 塑膠/黑色
CC270-1		 Housing/Hose guide frame loop Fits 4 & 5mm housings 車架止栓導管座,適用4、5mm外殼	PA.Nylon / Black 塑膠,尼龍/黑色
CM063		 EZ-bend super-flexible housing segment is designed for easy set-up of Kevlar® reinforced compressionless housings on road bike handlebars 公路車手把專用導線連結彎管, 搭配KEB輕量化外殼專用	Steel W/Alloy End Caps 透明外殼/鋁端套
CME011		 Stick-on Cable Guide, 3M adhesive attached 塑膠導線座, 3M背膠設計	HDPE / Black 塑膠/黑色
CME013B Black/黑色		 Alloy Stick-on Cable Guide, 3M adhesive attached 鋁合金導線座, 3M背膠設計	Alloy / Black 鋁合金/黑色
CME013S Silver/銀色			
CCZ021PB		 C Clip Frame Loop Housing Guide C型車架止栓專用外殼扣環	Nylon/Black 尼龍/黑色











ACCESSORIES


Bicycle Frame Parts

Frame Plugs 車架塞蓋



Part No.	Description		Material / Finish
CCN015			Plug for Internal Frame Routing For Close Type 車架止栓保護套 適用於無孔徑 EPDM / Black 橡膠/黑色
CCN007NB			Plug for Internal Frame Routing SHIMANO Di2 EW-SD50 2.0mm Frame 車架止栓/剖溝保護套 適用SHIMANO Di2 EW-SD50 車架厚度2.0mm NBR / Black 橡膠/黑色
CCN007NB-1			Plug for Internal Frame Routing 4mm Derailleur Housing 2.0mm Frame 車架止栓/剖溝保護套 適用4mm變速外殼 車架厚度2.0mm NBR / Black 橡膠/黑色
CCN007NB-2			Plug for Internal Frame Routing 5mm Brake Housing 2.0mm Frame 車架止栓/剖溝保護套 適用5mm煞車外殼 車架厚度2.0mm NBR / Black 橡膠/黑色
CCN007NB-3			Plug for Internal Frame Routing SHIMANO Ultegra Di2 EW-SD300 2.0mm Frame 車架止栓/剖溝保護套 適用SHIMANO Ultegra Di2 EW-SD300 車架厚度2.0mm NBR / Black 橡膠/黑色
CCN027-1			Plug for Internal Frame Routing 5mm Brake Housing 1.2mm Frame 車架止栓/剖溝保護套 適用5mm煞車外殼 車架厚度1.2mm NBR/ Black 橡膠/ 黑色
CCN027-3			Plug for Internal Frame Routing 4mm Derailleur Housing 1.2mm Frame 車架止栓/剖溝保護套 適用4mm變速外殼 車架厚度1.2mm NBR/ Black 橡膠/ 黑色
CCN027-5			Plug for Internal Frame Routing SHIMANO Di2 1.2mm Frame 車架止栓/剖溝保護套 適用SHIMANO Di2 車架厚度1.2mm NBR/ Black 橡膠/ 黑色
CCN009			Plug for Internal Frame Routing For Close type 車架止栓保護套 適用於無孔徑 EPDM / Black 橡膠/黑色
CCN009-1			Plug for Internal Frame Routing SHIMANO Di2 EW-SD50 車架止栓/剖溝保護套 適用SHIMANO Di2 EW-SD50 EPDM / Black 橡膠/黑色
CCN009-2			Plug for Internal Frame Routing 4mm Derailleur Housing 車架止栓保護套 適用4mm變速外殼 EPDM / Black 橡膠/黑色

Frame Plugs 車架塞蓋







Part No.	Description		Material / Finish
CCN009-3		 Plug for Internal Frame Routing 5mm Brake Housing 車架止栓/剖溝保護套 適用5mm剎車外殼	EPDM / Black 橡膠/黑色
CCN009-5		 Plug for Internal Frame Routing SHIMANO Ultegra Di2 EW-SD300 2.4mm 車架止栓/剖溝保護套 適用SHIMANO Ultegra Di2 EW-SD300 2.4mm	EPDM / Black 橡膠/黑色
CCN024-1		 Plug for Internal Frame Routing 4mm Derailleur Housing 車架止栓保護套 適用4mm變速外殼	EPDM / Black 橡膠/黑色
CCN078RB		 Plug for Internal Frame Routing Close type suggest on the Frame hole 5.7~6.0mm 車架止栓保護套 無孔推薦於車架孔徑5.7-6.0搭配	Silicone Gel/ Black 矽膠/黑色
CCN081RB		 Plug for Internal Frame Routing Close type suggest on the Frame hole 6.0~6.3 車架止栓保護套 無孔推薦於車架孔徑6.0-6.3搭配	Silicone Gel/ Black 矽膠/黑色
CCN126EB		 M4 Close Type Plug for Internal Frame Routing M4閉孔式塞蓋	EPDM/Black 橡膠/黑色
CCN118NB		 M5 Close Type Plug for Internal Frame Routing M5閉孔式塞蓋	EPDM/Black 橡膠/黑色
CCN123NB		 M6 Close Type Plug for Internal Frame Routing M6閉孔式塞蓋	EPDM/Black 橡膠/黑色
CCN111EB		 Plug for Internal Frame Routing 車架止栓保護套 適用於無孔徑	EPDM / Black 橡膠/黑色
CCG081EB		 Shim fits with 2.5mm wire 轉接襯條 適用於2.5mm電線	EPDM / Black 橡膠/黑色






Cable Tips 線尾套系列

Part No.		Description	Material / Finish					
 CC117-A CP/本色		 Cable Crimps, Fits 1.0 - 1.2mm cables, Open type 內線尾套, 適用1.0 - 1.2mm線徑 (變速內線適用)	Aluminum / Anodized 鋁/陽極					
 CC117-AO Gold/金色	 CC117-AB Black/黑色	 CC117-A06 Red/紅色	 CC117-AU Blue/藍色	 CC117-AK Bianchi/必洋奇藍				
 CC117-C CP/本色	 CC117-CO Gold/金色	 Cable Crimps, Fit 1.0 - 1.8mm cables, Open type For Brake and shifting system 內線尾套,適用1.0 - 1.8mm線徑 (煞車、變速內線適用)	Aluminum / Anodized 鋁/陽極					
 CC117-C06 Red/紅色	 CC117-C07 Black/黑色	 CC117-C08 Blue/藍色	 CC117-C24 Pink/粉紅色	 CC117-C61 Cash Green/綠色	 CC117-C68 Purple/紫色	 CC117-CJ6 Tango/橘色	 CC117-CK Bianchi/必洋奇藍	

Cable Donuts 防刮墊圈系列

Part No.	Description		Material / Finish
 CC170-B Black/黑色	 CC170-C Translucent/透明	 Cable Donuts, Fit 1.1 - 1.2mm cables, Octagonal Shape O型環-八角形狀(內線防刮墊圈), 適用1.1 - 1.2mm線徑(變速內線)	TPR/FOR 橡膠
 CC170-BO Black/黑色	 CC170-CO Translucent/透明	 Cable Donuts, Fit 1.1 - 1.2mm cables, Round shape O型環-圓形形狀(內線防刮墊圈), 適用1.1 - 1.2mm線徑(變速內線)	TPR/FOR 橡膠
 CC171-B Black/黑色	 CC171-C Translucent/透明	 Cable Donuts, Fit 1.1 - 1.8mm cables, Octagonal Shape O型環-八角形狀(內線防刮墊圈), 適用1.1-1.8mm線徑(變速、煞車內線)	TPR/FOR 橡膠
 CC171-BO Black/黑色	 CC171-CO Translucent/透明	 Cable Donuts, Fit 1.1 - 1.8mm cables, Round Shape O型環-圓形(內線防刮墊圈), 適用1.1 - 1.8mm線徑(變速、煞車內線)	TPR/FOR 橡膠

Braking Parts 煞車零件




Part No.			Description	Material / Finish
CM354BJ-4			Brake Quick Release, designed for embedded brake system 煞車快拆, 設計使用於直鎖式煞車夾器	Nylon / Zinc / Black 尼龍/鋅/黑色
CC128-07			Cable Hanger Fits Canti Brakes 吊線座含內管・煞車夾器用	Aluminum / Black 鋁/黑色
CCG044B			V-Brake Pipe Boot V煞導管專用保護套	TPE / Black 橡膠/黑色
CC198				

Braking Parts





32



Adjuster 調整螺絲

Part No.			Description	Material / Finish
✓ Rubberized coating				
 CM019B-1 Black/黑色	 CM019W White/白色		M5 index adjuster, Shimano® STI shifting cable boss compatible Taiwan Patent: 168957 M5定格調整螺絲・ 公路車下管止栓用・ 適用於Shimano® STI系統 台灣專利:168957	ABS/ Rubberized Cap/ Steel Bolt/Silver 塑膠/ 皮革漆/ 鐵螺絲/銀色
✓ Rubberized coating				
 CM136B Black/黑色	 CM136W White/白色		M5 index adjuster, Shimano® STI shifting cable boss compatible Taiwan Patent: 168957 M5定格調整螺絲・ 公路車下管止栓用・ 適用於Shimano® STI系統 台灣專利:168957	ABS/ Rubberized Cap/ Aluminum Bolt/Silver 塑膠/ 皮革漆/ 鋁螺絲/銀色
✓ Rubberized coating				
CM160BJ			Mini in-line adjuster Fits 4mm shift housing 迷你同軸式調整螺絲 適用於4mm變速外殼	Aluminum / Rubberized coating 鋁/皮革漆
CM093J			Mini in-line adjuster Fits 4mm shift housing 迷你同軸式調整螺絲 適用於4mm變速外殼	Aluminum / Anodized / Titanium finish 鋁/陽極/鈦色
CM353B			Inline index Adjuster Fits 4mm shift housing 定格式調整螺絲 適用於4mm變速外殼	Nylon/Black 尼龍/黑色
✓ Rubberized coating				
CM157BJ			Rocket adjuster, For Shimano® STI Shift Levers. Adds index adjustments at the lever. “火箭”調整螺絲・ 適用於Shimano STI公路車手把	Aluminum bolt / Argon plated / Black Rubberized cap / Black 鋁螺絲/鍍鉻/黑 皮革漆/黑



Part No.	Description		Material / Finish
CM233-3BJ	 	Mini-Inline index Adjuster Fits 4mm shift housing 迷你定格式調整螺絲 適用於4mm變速外殼	Aluminum/Anodized/Black 鋁/陽極/黑色
CM233-1DJ Titanium/鈦色 CM233-1BJ Black/黑色 CM233-1SJ Silver/銀色	 	New- Inline Index/ Detent Adjusters Fits 4mm shift housing 定格式調整螺絲 適用於4mm變速外殼	Aluminum/Anodized 鋁/陽極
CM272BJ	 	New- Inline Index/ Detent Adjusters Fits 4.5mm shift housing 定格式調整螺絲 適用於4.5mm變速外殼	Aluminum/Anodized/Black 鋁/陽極/黑色
CM265BJ	 	New-Inline index Adjusters Fits 5mm Brake housing 定格式調整螺絲 適用於5mm煞車外殼	Aluminum/Anodized/Black 鋁/陽極/黑色



HYDRAULIC SYSTEM

Bicycle Hydraulic Disc Brake Parts



Hydraulic Brake Hose 碟煞高壓油管



Item 項目	Model 型號	Dimension 尺寸	Tubing 內管	Reinforcement 編織層	Jacket 批覆層	Burst Strength 爆破係數	Compression 壓縮比		Color options 適用顏色
							at 1500psi	at 3000psi	
BE002	HPP	2.0 x 5.0	PBT	Polyester	Nylon	10000 psi+	1.7ml	3.9ml	Sole Colors單色系列
PE005	HAP	2.0 x 5.0	PA66	PET	TPEE	10000 psi+	1.6ml	3ml	Sole Colors單色系列

NOTE:

The hose materials and dimensions are available to specify according to requirements from customers.
Featuring Jagwire Teflon® tubing is optional for high and low temperature resistance.

注意:

高壓油管系列在原料與尺寸可依客戶特殊需求製作。
Jagwire高壓油管特色在於可以承受高溫與低溫的使用條件

Available system: Shimano®、SRAM®、Magura®、Formula®、Hayes®、Hope®、Tektro®
適用系統: Shimano®、SRAM®、Magura®、Formula®、Hayes®、Hope®、Tektro®

Color Options 可供選擇顏色

▲ Sole Colors 單色系列

07 黑
Black

56 高貴紅
Red

U5 藏藍
Ocean

U7 桃紅
Berry



Q1 艷陽橘
Orange

E6 西帝藍
SID Blue

U6 咖啡
Cocoa

U8 米黃
Desert







Shimano Hydraulic Hose fittings 油管接頭零件

Part Number	Contain	Manufacturer	Compatible Models
S01		Shimano®	● XTR M975 ● Deore XT M775 ● SLX M665 ● Deore LX T665, M585 ● Hone M601 ● Deore T615, M595, M535, M525 ● Alfine S500, S501 ● Metrea U5000 ● Alivio M4050 ● Acrea M3050 ● Non-Series T605, M447, MT500 ● M575, M486, M485, M446 ● M445, M395, M365, M355, M315
S02		Shimano®	● XTR M9020, M9000, M988, M987, M985 ● Saint M820 ● Deore XT M8000, M785, T785 ● SLX M7000, SLX M675, M666, ZEE M640 ● Alfine S700, CUES U8020, U8000
S04		Shimano®	● XTR M9100, M9110 ● XT M8110 ● SLX M7110 ● Deore M6100, M6120
S06		Shimano®	● R9120/R9170/R8070/R7070/R9200/R8100/R7100/R4770/RX810





Shimano®

Part No.	Description		Material / Finish
CC998		Needle (Inserts) Fits BH59 Hydraulic Hose 油針 適用BH59油管	Brass 銅/本色
CC944		Needle (Inserts) Fits BH90 Hydraulic Hose Fits Jagwire Hydraulic Hose 油針 適用BH90油管 適用Jagwire 油管	Stainless Steel 不鏽鋼/本色
CCC010		Compression Bushing 迫緊環	Brass 銅/本色
CCA058IA		Compression Nut (External) 迫緊螺絲 (外牙式)	Steel / Black 鐵/黑色
CCA071I10		Compression nut (External) 迫緊螺絲 (外牙式)	Steel/ Chromed/Black 鐵/三價鉻鍍黑鋅/黑色


Housing Parts

Part No.			Description	Material / Finish
CCA125IA	F	 	Compression Nut (External) 迫緊螺絲(外牙式)	Steel/Chromed/Black 鐵/三價鉻鍍黑鋅/黑色
CCG040-B	G	 	Caliper-End Protector Fits Brake Lever-end 保護套 適用於油壓碟剎把手端	Silicone Gel / Black 矽膠/黑色
CCG005	H	 	Caliper - End Protector Fits Brake Caliper End 保護套 適用於油壓碟剎卡鉗端	Silicone Gel / Black 矽膠/黑色
CCR075AC	I	 	Banjo end (Assembled parts only) 胡琴接頭 (以組件出貨)	Aluminum/Silver 鋁合金/本色
CCF051T9	J	 	Compression nut (Assembled parts only) 壓著端端套 (以組件出貨)	Stainless Steel/Silver 不銹鋼/本色
CCI010NR	K	 	O-Ring O型環油封	NBR/Red 橡膠/紅色

Sram Hydraulic Hose fittings 油管接頭零件












Part Number	Contain	Manufacturer	Compatible Models
A02		SRAM®	● SRAM® Guide RSC (A1), Guide RS (A1) Guide R (A1); Level TL; DB5 ● Avid® Elixir R, CR, CR Mag, 5, 7, 9, X0, XX2012+ XX World Cup 2012; 7 Trail, 9 Trail, X0 Trail
A04 FIT Stealth-a-majig		SRAM®	● SRAM® G2 Ultimate, G2 RSC, G2 RS, G2 R; Guide Ultimate, Guide RSC (B1), Guide RS (B1), Guide R (B1); ● Avid® XX World Cup 2010–2011, XX™ 2010–2011; Juicy Ultimate™, Juicy Carbon, Juicy Seven™, Juicy Five™ ● LEVEL TLM, Ultimate CODE 2018 R. RSC
A05 FIT Stealth-a-majig		SRAM®	● Juicy3 ● CODE COD2008-2010, 5, 7, R 2011, 2017 ● Elixie 1, 3 ● DB 2016 1, 3, 2017 1, 3, 5 ● Guild RE
A07		SRAM®	● Level Ultimate (A1), TLM (A1); Code RSC (A1), Code(B1)
A08		SRAM®	● Red eTap AXS HRD Monoblock (2019); Red eTap HRD (2017-2019); S900 Aero HRD (2017-2019)

SRAM®



Part No.	Description		Material / Finish
CCR023		Needle (Inserts) Fits SRAM® Stealth-a-majig System (Have to assemble with CCR024) 油針 適用SRAM® Stealth-a-majig系統 必須搭配CCR024使用	Stainless Steel/without finish 不銹鋼/本色
CCR024		Compression Bushing Fits SRAM® Stealth-a-majig System (Have to assemble with CCR023) 迫緊環 適用SRAM® Stealth-a-majig系統 必須搭配CCR023使用	Aluminum/without finish 鋁/本色
CCA072I6		Compression Nut (External) Fits SRAM® System Juicy Series, CODE Series, Elixir Series, XX 迫緊螺絲 (外牙式) 適用SRAM® 系統 Juicy, CODE, Elixir, XX系列	Steel/Black 鐵/黑色
CCA124IA		Compression Nut Fits SRAM® System Red eTap AXS HRD Monoblock(2019); Red eTap HRD(2017-2019); S900 Aero HRD(2017-2019) 迫緊螺絲 適用SRAM® 系統 Red eTap AXS HRD Monoblock(2019); Red eTap HRD(2017-2019); S900 Aero HRD(2017-2019)	Steel/Chormed/Black 鐵/鉻/黑色

HYDRAULIC SYSTEM

Bicycle Hydraulic Disc Brake Parts

Part No.		Description		Material / Finish
CCG040-B	F	 	Caliper-End Protector Fits Brake Lever End 保護套 適用於油壓碟剎把手端	Silicone Gel / Black 矽膠/黑色
CCG005	G	 	Caliper - End Protector Fits Brake Caliper End 保護套 適用於油壓碟剎卡鉗端	Silicone Gel / Black 矽膠/黑色
CCF051T9	H	 	Compression nut 壓著端端套	Stainless Steel/Silver 不銹鋼/本色
CCR074AB	K	 	Banjo end (Assembled parts only) 胡琴接頭 (以組件出貨)	Alloy/Anodized/Black 鋁合金/陽極/黑色
CCR075AC	L	 	Banjo end (Assembled parts only) 胡琴接頭 (以組件出貨)	Aluminum/Silver 鋁合金/本色
CC740	M	 	Needle Bolt Fits SRAM® System, Elixir Series 卡鉗端接頭 適用SRAM®系統, Elixir 系列	Stainless Steel/Silver 不銹鋼/本色
CCI010EB	N	 	O-Ring Ø6.0*1.0 O型環油封 Ø6.0*1.0	EPDM/Black 橡膠/黑色
CCC075EB	Q	 	O-Ring Ø3.7*1.5 O型環油封 Ø3.7*1.5	Stainless Steel/Silver 不銹鋼/本色
CCC076EB	R	 	O-Ring Ø2.1*1.5 O型環油封 Ø2.1*1.5	EPDM/Black 橡膠/黑色
CCC077EB	S	 	O-Ring Ø6.0*1.5 O型環油封 Ø6.0*1.5	EPDM/Black 橡膠/黑色
CCC060JB	T	 	O-Ring Ø5.5*1.2 O型環油封 Ø5.5*1.2	EPDM/Black 橡膠/黑色

Magura Hydraulic Hose fittings 油管接頭零件

Part Number	Contain	Manufacturer	Compatible Models
M03		Magura®	● MT Trail SL, MT Trail Sport, MT8 SL, MT8 Pro, MT8, MT8 SL FM, MT7 Pro, MT7, MT6, MT5, MT5e, MT4, MT4 FM, MT4e, MT C5, MT C4, MT C4 FM
M04		Magura®	● Gustav M 2000—2010 ● Marta 2007—2010 ● Marta Gold 2007 ● Marta SL 2008—2010

Magura

Part No.	Description		Material / Finish
CC703	 A	Needle (Insert) Fits Magura® System 油針 適用Magura®系統	Steel/ Chromed/Black 鐵/三價鉻鍍黑鋅/黑色
CC707	 B	Compression Bushing Fits Magura® System 迫緊銅環 適用Magura®系統	Brass/without finish 銅/本色
CCA071I10	 C	Compression nut (External) 迫緊螺絲(外牙式)	Steel/ Chromed/Black 鐵/三價鉻鍍黑鋅/黑色
CCA102I1	 D	Compression nut (External) Fits Magura® MT8,MT6,MT4,MT2 System 迫緊螺絲(外牙式) 適用Magura® MT8,MT6,MT4,MT2系統	Steel/ Chromed 鐵/三價鉻鍍白鋅/本色
CCG040-B	 E	Caliper-End Protector Fits Brake Lever End 保護套 適用於油壓碟剎把手端	Silicone Gel / Black 矽膠/黑色
CCG005	 F	Caliper - End Protector Fits Brake Caliper End 保護套 適用於油壓碟剎卡鉗端	Silicone Gel / Black 矽膠/黑色
CCF051T9	 H	Compression nut (Assembled parts only) 壓著端端套 (以組件出貨)	Stainless Steel/Silver 不銹鋼/本色
CCR076AC	 I	Banjo end (Assembled parts only) 胡琴接頭 (以組件出貨)	Alloy/Anodized 鋁合金/陽極
CCI033NR	 J	O-Ring O型環油封	NBR/Red 橡膠/紅色

ACCESSORIES

Housing Parts


Formula Hydraulic Hose fittings 油管接頭零件

Part Number	Contain	Manufacturer	Compatible Models
F01		Formula®	● R1R, R1, R0, RX, T1, Mega








Formula®

Part No.			Description	Material / Finish
CC775	A		Needle(Inserts) Fits Formula®-R1,THE ONE,MEGA System 油針 適用Formula®-R1,THE ONE,MEGA系統	Brass 銅/本色
CC777	B		Compression Bushing Fits Formula®-R1,THE ONE,MEGA System 迫緊環 適用Formula®-R1,THE ONE,MEGA系統	Brass 銅/本色
CC776	C		Compression Nut (External) Fits Formula®-R1,THE ONE,MEGA System 迫緊螺絲(外牙式) 適用Formula®-R1,THE ONE,MEGA系統	Steel/Silver 鐵/銀色
CCG040-B	D		Caliper-End Protector Fits Brake Lever End 保護套 適用於油壓碟剎把手端	Silicone Gel / Black 矽膠/黑色
CCG005	E		Caliper - End Protector Fits Brake Caliper End 保護套 適用於油壓碟剎卡鉗端	Silicone Gel / Black 矽膠/黑色
CCF051T9	F		Compression nut (Assembled parts only) 壓著端端套 (以組件出貨)	Stainless Steel/Silver 不銹鋼/本色
CCR075AC	G		Banjo end (Assembled parts only) 胡琴接頭 (以組件出貨)	Aluminum/Silver 鋁合金/本色
CCI010EB	H		O-Ring O型環油封	EPDM/Black 橡膠/黑色

TRP Hydraulic Hose fittings 油管接頭零件

Part Number	Contain	Manufacturer	Compatible Models
R01		TRP®	C1.8, C2.3; Quadiem; Slate EVO and similar
R02		TRP®	Hylex (Ez-Plug); TT-Hydraulic HD-T910/912 and similar



TRP®/Tektro®

Part No.	Description		Material / Finish
CM415	 	Needle Compatible with Jagwire® and TRP®/Tektro® 5mm Hydraulic Hoses 油針 適用JAGWIRE®系列油管與原廠5mm油管	Brass 銅/本色
CC1047	 	Compression Bushing 迫緊環	Brass 銅/本色
CCA071I10	 	Compression nut (External) 迫緊螺絲(外牙式)	Steel/ Chromed/Black 鐵/三價鉻鍍黑鋅/黑色
CCG005	 	Caliper - End Protector Fits Brake Caliper End 保護套 適用於油壓碟剎卡鉗端	Silicone Gel / Black 矽膠/黑色
CCF051T9	 	Compression nut (Assembled parts only) 壓著端端套 (以組件出貨)	Stainless Steel/Silver 不銹鋼/本色
CCR075AC	 	Banjo end (Assembled parts only) 胡琴接頭 (以組件出貨)	Aluminum/Silver 鋁合金/本色
CCI010NR	 	O-Ring O型環油封	NBR/Red 橡膠/紅色

ACCESSORIES








Housing Parts

Hayes Hydraulic Hose fittings 油管接頭零件

Part Number	Contain	Manufacturer	Compatible Models
H01		Hayes®	● Dominion A4, Dominion T4, Dominion A2, Dominion T2; ● Prime Expert, Prime Pro, Prime Comp; ● Stroker Trail, Stroker Carbon, Stroker Ace, Stroker Gram
H02		Hayes®	● Dyno Sport ● Dyno Comp ● Prime Sport ● Radar ● Stroker Ryde

Hayes®

Hayes®

Part No.	Description	Material / Finish
CC914 	  Needle Fits Hayes Hydraulic Hose 油針 適用Hayes系列油管	Brass 銅/本色
CC913 	  Compression Nut 迫緊螺絲	Steel/Black 鐵/黑色
CCG040- 	  Caliper-End Protector Fits Brake Lever End 保護套 適用於油壓碟剎把手端	Silicone Gel / Black 矽膠/黑色
CCG005 	  Caliper - End Protector Fits Brake Caliper End 保護套 適用於油壓碟剎卡鉗端	Silicone Gel / Black 矽膠/黑色
CCF051T- 	  Compression nut (Assembled parts only) 壓著端端套 (以組件出貨)	Stainless Steel/Silver 不銹鋼/本色
CCR075A 	  Banjo end (Assembled parts only) 胡琴接頭 (以組件出貨)	Aluminum/Silver 鋁合金/本色
CCI010EE 	  O-Ring O型環油封	EPDM/Black 橡膠/黑色



Comp 通用型

Jagwire Mountain disc brake pads are a great alternative to OEM. They feature a high performance, yet low-noise semimetallic compound mounted to a steel backing plate.

- 使用高質量鐵材質背版
- 複合式磨耗材質適用於一般氣候使用
- 低噪音、耐磨耗



Comp Organic 有機型

Jagwire Comp Organic pads feature a new resin compound. Mounted on a steel backing plate, this compound gives good power and modulation, while keeping noise to a minimum. Great for riders primarily riding in dry conditions.

- 使用高質量鐵材質背版
- 搭配特殊有機物質磨耗材質適用於一般氣候使用
- 低噪音



Lite 輕量型

Pads feature a lightweight aluminum backing plate attached to the same quiet and high-performance semi-metallic compound found on our Mountain Sport series disc pads. Weight is reduced by nearly 50%. These pads are perfect for cross-country applications.

- 輕量化鋁合金背版，重量較為標準款碟煞來令片輕50%
- 複合式磨耗材質適用於一般天候、路況使用
- 低噪音、耐磨耗



Heavy Duty 耐用型

Mountain Pro Extreme pads feature an aggressive sintered compound that provides maximum stopping power making it perfect for DH riding. The dense, sintered compound also resists water making it extremely effective in wet conditions.

- 燒結來令片，長效能、耐磨耗的特性，給您更專業的煞停效果
- 專為濕式、泥濘路況或下坡賽道重量級車款設計使用








E-Bike 電動車

E-bike disc brake pads are tuned to provide additional stopping power and durability. They also offer consistent modulation with little braking noise. Designed for the unique demands of pedal-assist E-bikes, these pads are perfect for both city E-bikes and E-MTBs.





- 電動車專用磨耗材
- 完美搭配城市電動車與電動登山車
- 低噪音

DISC BRAKE PADS


Shimano®

Brake Model			Comp 通用型	Comp Organic 有機通用型	Lite 輕量型	Heavy Duty 耐用型	E-Bike 電動車
XTR M9020, M9000, M987, M985; Deore XT M8100, M8000, M785; SLX M7100, M7000, M675, M666; Deore M6000, M615; Alfine S700; Road/CX RS785, R785, CX77, CX75, R517, R515, R317, R315; CUES U8000			DBL641-4	DBL641-7	DBL641-1	DBL731-1	DBL641-12
XTR M9100; Dura Ace R9170; Ultegra R8070; 105 R7070; Tiagra 4770; GRX RX810, RX400; Road/CX RS805, RS505, RS405, RS305; Metrea U5000			DBL505-1	DBL505-4	DBL505-5	DBL505-9	DBL505-11
XTR M9120; Saint M820, M810; Deore XT M8120, M8020; SLX M7120; ZEE M640; Non-Series MT520, MT420; CUES U8020			DBL762-2	DBL762-3	N/A	DBL762-1	DBL762-7
XTR M975, M966, M965, Saint M800, Deore XT M776, M775, M765, SLX M665, Deore LX T665, M585, Hone M601, Deore M596, M595, M535, Alfine S501, S500, Non-Series T605, R505, M545			DBL390-1	N/A	N/A	N/A	N/A
Deore LX T675, Deore T615, M525, M515, M515-LA, Alivio M4050, Acera M3050, Nexave C601, C501, Tourney TX805, Non-Series MT500, MT400, MT200, M575, M486, M485, M475, M465, M447, M446, M445, M416, M416A, M415, M395, M375, M365, M355, M315, UR300			DBL370-1	DBL371-9	N/A	N/A	DBL370-4



SRAM® / Avid®

Brake Model			Comp 通用型	Comp Organic 有機通用型	Lite 輕量型	Heavy Duty 耐用型	E-Bike 電動車
SRAM® Code Ultimate Stealth (C1), Code Silver Stealth (C1), Code RSC (A1), Code R (B1), Code (2011-2016); G2 RE; Guide RE; DB8; DB6; DB4; Motive			DBL766-1	DBL766-2	N/A	DBL766-3	DBL766-4
Avid® BB7, All Juicy Models			DBL451-1 DBL452-1	DBL451-2 DBL452-2	N/A	DBL701-1 DBL702-1	N/A
Avid® BB5, All Juicy Models			DBL461-1	DBL461-2	N/A	N/A	N/A
SRAM® Level; Red E1; Force E1; Rival E1			DBL590-1	DBL590-2-1	DBL591-2	DBL721-1	DBL591-6
SRAM® G2 Ultimate, G2 RSC, G2 RS, G2R; Guide Ultimate, Guide RSC, Guide RS, Guide R; Level Ultimate Stealth 4P (C1), Level Silver Stealth 4P (C1); Avid® Trail			DBL750-5R	DBL750-8	DBL750-3	DBL750-1-1	DBL750-7
SRAM® Red eTap AXS HRD Monoblock(2019), Red eTap HRD (2016-2019), Red22 (B1); Force 22, Force 1; CX1; Rival 22; Apex 1; S900 HRD; S700 (B1); Level Ultimate (A1), Level TLM (A1)			DBL760-AL DBL760-AR1	DBL760-BL1 DBL760-BR1	DBL760-5 DBL760-6	DBL760-7 DBL760-8	N/A
SRAM® Maven Ultimate, Maven Silver, Maven Bronze			DBL779-1-1 DBL779-2-1	N/A	N/A	N/A	N/A





Formula®

Brake Model	Comp 通用型	Comp Organic 有機通用型	Lite 輕量型	Heavy Duty 耐用型	E-Bike 電動車		
R1R, R1, C1, CR3, T1R, T1, ROR, RO, Cura			DBL581-2	DBL581-6	DBL580-4	DBL711-1	N/A



Magura®

Brake Model		Comp 通用型	Comp Organic 有機通用型	Lite 輕量型	Heavy Duty 耐用型	E-Bike 電動車	
MT8 SL, MT8 Pro, MT8, MT8 SL FM, MT Trail SL (Rear), MT Trail Sport (Rear), MT6, MT4, MT4 FM, MT4e, MT2, MT Sport, MT C4, MT C4 FM			DBL671-1	DBL671-4	DBL671-3	N/A	DBL671-5
MT7 Pro, MT7, MT Trail SL (Front), MT Trail Sport (Front), MT5, MT5e, MT C5			DBL761-1	DBL761-2	N/A	N/A	DBL761-3

Tektro® / TRP®

Brake Model			Comp 通用型	Comp Organic 有機通用型	Lite 輕量型	Heavy Duty 耐用型	E-Bike 電動車
TRP® Quadiem, G-Spec Quadiem, Slate T4, G-Spec Slate, G-Spec DH, Zurich; Tektro® Orion 4P, Dorado 4P			DBL762-2	DBL762-3	N/A	DBL762-1	DBL762-7
TRP® Hylex Flat Mount, Hylex RS Flat Mount, HD-T910; Tektro® HD-R510, HD-R310			DBL505-1	BDL505-4	DBL505-5	DBL505-9	N/A
TRP® HY/RD Post Mount, Hylex Post Mount, Hylex RS Post Mount, Parabox 2012, Slate X2, Spyre, Spyre SLC, Spyke; Tektro® Aquila, Auriga, Auriga E-Comp, Auriga E-Tune, Auriga E-Twin, Auriga Pro, Auriga Tune, Dorado HD-E715, Draco, Draco 2, Draco WS, Gemini, HD-E350, HD-M285, HD-M286, HD-T285, HDC330, Junior, MD-C510, Orion, Orion SL, Vela			DBL370-1	DBL371-9	N/A	N/A	DBL370-4
Tektro® HD-E740, HD-E741, HD-E745, HD-M535, HD-T737, HD-T740, HD-T741, HD-T745			DBL762-8-1	N/A	N/A	N/A	N/A

Hayes®

Brake Model			Comp 通用型	Comp Organic 有機通用型	Lite 輕量型	Heavy Duty 耐用型	E-Bike 電動車
Dominion A2, Dominion T2			DBL776	N/A	N/A	N/A	N/A
Dominion A4			DBL775-AL	N/A	N/A	N/A	N/A






Brake Pads

煞車皮







BRAKE PADS


適用於C夾公路車(Shimano 或 SRAM)專用


Part No.			Description	Material / Color
P495AAW			Road Pro Skeleton Series 輕量化系列	AW/Black/Alloy/PVD Length:50mm AW/黑色/鋁/PVD鈦色/50mm
P431AAW			Road Sport 基本款系列	AW/Black/Alloy/PVD Length:50mm AW/黑色/鋁/PVD鈦色/50mm
P433AAW			Road Sport 基本款系列	AW/Black/Alloy/PVD Length:50mm AW/黑色/鋁/PVD鈦色/50mm
J404RKB			Elite Road inserts 公路車更換式煞車皮	AW/Black Length:50mm AW/黑色/50mm
J404RWR			Elite Road Red Zone inserts 公路車更換式煞車皮(濕式)	RZ/Red Length:50mm RZ/紅色/50mm

適用於C夾公路車(Campagnolo)專用





Part No.			Description	Material / Color
P402A			Road Pro Skeleton Series 輕量化系列	AW/Black /Alloy/ Black / Length:54mm AW/黑色/鋁/黑色/54mm
P475AAB			Road Sport 基本款系列	AW/Black /Alloy/ Black Length:54mm AW/黑色/鋁/黑色/54mm
P459RAB			Road Inserts 公路車替更式煞車皮	AW/Black/ Length:54mm AW/黑色/54mm
P403RAB			Campagnolo 2012+ Inserts Campagnolo 2012+更換式煞車皮	AW/Black/ Length:54mm AW/黑色/54mm

適用於公路車基本款系列





Part No.			Description	Material / Color
P451A			Basics comp road brake 公路車基本款	AW/Black/Length:50mm AW/黑色/50mm





適用於V夾登山車專用











Part No.			Description	Material / Color
P91AC			V Brake Compatible 整組登山車系列 (V型夾器專用)	AW/Black /Alloy/ Black Length:70mm AW/黑色/鋁/黑色/70mm
P91BC			V Brake Compatible 整組登山車系列 (V型夾器專用)	AW/Black /Alloy/ Silver Length:70mm AW/黑色/鋁/銀色/70mm
P919V			Canti Brake Compatible 整組登山車系列 (懸吊式夾器專用)	AW/Black /Alloy/ Black Length:70mm AW/黑色/鋁/黑色/70mm
P908C			V Brake Compatible 整組登山車系列 (V型夾器專用)	AW/Black /Alloy/ Silver Length:70mm AW/黑色/鋁/銀色/70mm



Part No.	Description		Material / Color
P91DR	 	Brake Pad inserts 登山車更換式煞車皮	AW/Black Length:70mm AW/黑色/70mm
P91DRZ	 	Brake Pad inserts 登山車更換式煞車皮	RZ/Red Length:70mm RZ/紅色/70mm
P90XR	 	Brake Pad inserts 登山車更換式煞車皮	BS/Black Length:70mm BS/黑色/70mm
P90XRXR	 	Brake Pad inserts 登山車更換式煞車皮	RZ/Red Length:70mm RZ/紅色/70mm

Part No.		Description	Material / Color
P909T	 	Compatible V Brake 整組登山車系列 (V型夾器專用)	AW/Black Length:70mm AW/黑色/70mm
P908T	 	Compatible V Brake 整組登山車系列 (V型夾器專用)	AW/Black Length:70mm AW/黑色/70mm

適用於登山車懸臂V夾基本款系列

Part No.			Description	Material / Color
P908T-Y			Compatible V Brake 整組登山車系列 (V型夾器專用)	AW/Black/Yellow Length:70mm AW/黑色/黃色/70mm
P908T-R			Compatible V Brake 整組登山車系列 (V型夾器專用)	AW/Black/Red Length:70mm AW/黑色/紅色/70mm
P908T-P			Compatible V Brake 整組登山車系列 (V型夾器專用)	AW/Black/Pink Length:70mm AW/黑色/粉紅色/70mm
P908T-B			Compatible V Brake 整組登山車系列 (V型夾器專用)	AW/Black/Blue Length:70mm AW/黑色/藍色/70mm
P908T-G			Compatible V Brake 整組登山車系列 (V型夾器專用)	AW/Black/Gray Length:70mm AW/黑色/灰色/70mm
P947T			Compatible V Brake 整組登山車系列 (V型夾器專用)	AW/Black/Yellow Length:70mm AW/黑色/黃色/70mm
P908H			Compatible Canti Brake 整組登山車系列 (懸吊式夾器專用)	AW/Black Length:70mm AW/黑色/70mm
P909H			Compatible Canti Brake 整組登山車系列 (懸吊式夾器專用)	AW/Black Length:70mm AW/黑色/70mm
P910H			Compatible Canti Brake 整組登山車系列 (懸吊式夾器專用)	AW/Black Length:55mm AW/黑色/55mm
P900H			Compatible Canti Brake 整組登山車系列 (懸吊式夾器專用)	AW/Black Length:70mm AW/黑色/70mm

Brake Rotors

Brake Rotors 碟煞碟盤

- 2-piece design features an aluminum spider and a separate stainless steel brake track
- Aluminum spider resists warping and helps reduce rotating weight
- “J” wear indicator alerts when the rotor requires replacement
- 6-Bolt rotors include T25 mounting hardware
- 2片式設計: 鋁合金支架 + 不鏽鋼煞車面板
- 鋁合金Spider 支架: 抗翹曲, 降低旋轉重量
- 磨耗指示器「J」logo: 提醒碟片更換: 提醒煞車碟片需更換
- 6孔碟盤: 附 T25 安裝螺絲

專業款LR3碟煞碟盤

Pro LR3 Disc Brake Rotors

Part Number 型號	Description 類別	Hub Brake Compatibility 固定鎖入方式	Rotor Size 碟盤尺寸	Thickness 厚度	Weight 重量
C0900022	Pro LR3	六孔鎖固 6-Bolt Disc	220mm	2.0mm	208g
C0900021	Pro LR3	六孔鎖固 6-Bolt Disc	203mm	1.8mm	172g
C0900020	Pro LR3	六孔鎖固 6-Bolt Disc	180mm	1.8mm	145g
C0900019	Pro LR3	六孔鎖固 6-Bolt Disc	160mm	1.8mm	117g
C0900018	Pro LR3	六孔鎖固 6-Bolt Disc	140mm	1.8mm	98g


Part Number 型號	Description 類別	Hub Brake Compatibility 固定鎖入方式	Rotor Size 碟盤尺寸	Thickness 厚度	Weight 重量
C0900017	Pro LR3	中心鎖固 Center Lock Disc	220mm	2.0mm	221g
C0900016	Pro LR3	中心鎖固 Center Lock Disc	203mm	1.8mm	186g
C0900015	Pro LR3	中心鎖固 Center Lock Disc	180mm	1.8mm	159g
C0900014	Pro LR3	中心鎖固 Center Lock Disc	160mm	1.8mm	132g
C0900014	Pro LR3	中心鎖固 Center Lock Disc	140mm	1.8mm	111g

專業款LR2-E碟煞碟盤-附磁扣

Pro LR2-E Disc Brake Rotors with Magnet

Part Number 型號	Description 類別	Hub Brake Compatibility 固定鎖入方式	Rotor Size 碟盤尺寸	Thickness 厚度	Weight 重量
DCR084	Pro LER2-E	六孔鎖固 6-Bolt Disc	220mm	2.0mm	209g
DCR083	Pro LER2-E	六孔鎖固 6-Bolt Disc	203mm	1.8mm	170g
DCR080	Pro LER2-E	六孔鎖固 6-Bolt Disc	180mm	1.8mm	147g
DCR081	Pro LER2-E	六孔鎖固 6-Bolt Disc	160mm	1.8mm	119g

Part Number 型號	Description 類別	Hub Brake Compatibility 固定鎖入方式	Rotor Size 碟盤尺寸	Thickness 厚度	Weight 重量
DCR094	Pro LER2-E	中心鎖固 Center Lock Disc	220mm	2.0mm	223g
DCR093	Pro LER2-E	中心鎖固 Center Lock Disc	203mm	1.8mm	182g
DCR090	Pro LER2-E	中心鎖固 Center Lock Disc	180mm	1.8mm	158g
DCR091	Pro LER2-E	中心鎖固 Center Lock Disc	160mm	1.8mm	132g



標準款SR2碟煞碟盤 Sport SR2 Disc Brake Rotors

High quality stainless steel braking surface provides strong, consistent braking power

- The spider design improves stability and resists warping
- Anti-corrosion coating ensures long-lasting performance in all conditions
- Compatible with all popular disc brake pad compounds
- 6-Bolt rotors include T25 mounting bolts, Center Lock rotors include a lockring

高品質不鏽鋼煞車面：提供強大且穩定的制動力

- Spider 支架設計：提升穩定性：抗翹曲
- 防腐蝕塗層：確保長效耐用
- 兼容各種碟煞來令片
- 6孔碟盤：附 T25 安裝螺絲

Part Number 型號	Description 類別	Hub Brake Compatibility 固定鎖入方式	Rotor Size 碟盤尺寸	Thickness 厚度	Weight 重量
C0900035	Sport SR2	六孔鎖固 6-Bolt Disc	220mm	2.0mm	220g
C0900034	Sport SR2	六孔鎖固 6-Bolt Disc	203mm	1.8mm	177g
C0900033	Sport SR2	六孔鎖固 6-Bolt Disc	180mm	1.8mm	147g
C0900032	Sport SR2	六孔鎖固 6-Bolt Disc	160mm	1.8mm	118g

Part Number 型號	Description 類別	Hub Brake Compatibility 固定鎖入方式	Rotor Size 碟盤尺寸	Thickness 厚度	Weight 重量
C0900046	Sport SR2	中心鎖固 Center Lock Disc	220mm	2.0mm	244g
C0900045	Sport SR2	中心鎖固 Center Lock Disc	203mm	1.8mm	201g
C0900044	Sport SR2	中心鎖固 Center Lock Disc	180mm	1.8mm	170g
C0900032	Sport SR2	中心鎖固 Center Lock Disc	160mm	1.8mm	140g



基礎款BR1碟煞碟盤 Basics Disc Brake Rotors

Durable stainless steel brake track resists corrosion

- Compatible with all common disc brake pad compounds
- 6-Bolt rotors include T25 mounting hardware

- 耐用的不銹鋼煞車接觸面抗腐蝕
- 與所有常見的碟煞煞車片材料兼容
- 6顆螺栓的碟片包含 T25 安裝硬體

Part Number 型號	Description 類別	Hub Brake Compatibility 固定鎖入方式	Rotor Size 碟盤尺寸	Thickness 厚度	Weight 重量
C0900053	Basics BR1	六孔鎖固 6-Bolt Disc	203mm	1.8mm	173g
C0900002	Basics BR1	六孔鎖固 6-Bolt Disc	180mm	1.8mm	154g
C0900001	Basics BR1	六孔鎖固 6-Bolt Disc	160mm	1.8mm	125g

Part Number 型號	Description 類別	Hub Brake Compatibility 固定鎖入方式	Rotor Size 碟盤尺寸	Thickness 厚度	Weight 重量
C0900054	Basics BR1	中心鎖固 Center Lock Disc	203mm	1.8mm	231g
C0900004	Basics BR1	中心鎖固 Center Lock Disc	180mm	1.8mm	188g
C0900003	Basics BR1	中心鎖固 Center Lock Disc	160mm	1.8mm	160g



TOOLS



Pro 2.0 Cable Crimper and Cutter

專業款 2.0 內線剪刀

The completely redesigned Pro 2.0 Cable Crimper and Cutter features updated cutting geometry and smooth cable tip crimping action.
全新升級設計的 Pro 2.0 內線剪刀，採用優化切削幾何結構，並提供順暢精準的鼠尾套壓合操作體驗。

Part No.	型號	Description	描述
WST082-OEM		- The cutting blades are optimized to maximize leverage when cutting 0.8-1.6mm inner cables, ensuring smooth, clean cuts - The redesigned crimping function has three blades that contract as the handle is closed,utilizing a minimal size to crimp tips on hard-to-reach cables - The ergonomic handles ensure comfort for all-day use - Thumb latch allows the tool to be opened or locked closed with just one hand	- 優化設計的切割刀片，專為 0.8-1.6 mm 內線裁切打造，可有效放大槓桿作用，確保切口平滑且乾淨。 - 優化鼠尾套壓接設計，三片刀刃隨手柄閉合同步收縮，精準完成內線置入與壓接，適用狹小線纜位置。 - 符合人體工學的手柄設計，提供全天候舒適使用感 - 拇指鎖扣設計，單手即可開啓與鎖閉。



Pro 2.0 Housing Cutter

專業款 2.0 外殼剪刀

New for 2025, the Pro 2.0 Housing Cutter offers supreme power for cutting brake, shift, or dropper housing.
專業款 2.0外殼剪刀，提供強大的切割能力，適用於切割煞車外殼、變速外殼和升降座管外殼。

Part No.	型號	Description	描述
WST081-OEM		- The cutting blades are optimized to maximize cutting power for 3-5mm cable housings for clean, square cuts - Integrated awl in the base of the handle can be used to open up cut housing ends - The ergonomic handles ensure comfort for all-day use 2-sided cable tip crimper is built into the arms - Thumb latch allows the tool to be opened or locked closed with just one hand	- 切割刀片經過優化，提升切割力，適用 3-5 mm 外殼，切口平整。 - 手柄底部集成的錐形工具可用於通孔切割後的外殼 - 符合人體工學的手柄設計，提供全天候舒適使用感 - 手臂內側兩側壓接器，用於塑形壓扁的外殼 - 拇指鎖扣設計，單手即可開啓與鎖閉。



Elite Hydraulic Hose Cutter 尊爵款 油管裁切器煞碟盤

A neatly cut hydraulic hose is just as important for the home mechanic as it is for the pros. The hand-held design of our hose cutters makes it possible to cleanly prepare hoses anywhere in the workshop.

油管裁切是否平整，對居家維修者與專業技師同樣重要。本款手持式油管裁切器設計輕巧，操作便利，無論在何處都能快速完成切口平整的油管裁切作業。

Part No.	型號	Description	描述
WST064-OEM		- Innovative design provides extra leverage for smooth, clean cuts - Ergonomic handles ensure comfortable operation for all-day use in professional workshops - Premium aluminum construction - Cutting slot is shaped to secure the hose and ensure a perpendicular cut - Replaceable cutting blades	- 創新結構設計，提供額外施力槓桿，使切口平整乾淨 - 符合人體工學的握柄設計，適合專業工作室長時間操作 - 高品質鋁合金結構，兼顧強度與耐用性 - 專用裁切槽設計，有效固定油管，確保垂直且平整的切口 - 可更換式刀片設計，維護便利，延長使用壽命



Hydraulic Hose Cutter Parts 油管裁切器配件

Part No.	型號	Description	描述
WST027		- Replacement blades for all Jagwire hydraulic hose cutters - Includes 5 blades	- 適用於所有 Jagwire 油管剪刀的替換刀片 - 每包包含 5 片刀片

TOOLS

Pro Needle Driver™ 專業款 油針置入器

Installing hydraulic hose fittings shouldn't be done using a hammer. The Jagwire Pro and Sport Needle Drivers ensure proper alignment of the needle fitting, making installation quick and easy.

安裝油針不應該使用錘子。Jagwire 專業款和標準款油針置入器能確保油針準確置入，使安裝變得快速且簡便。

Part No.	型號	Description	描述
WST065-OEM		- Quickly installs needle inserts with a squeeze of the handle 2-way clamp fits 5.0 and 5.5mm hydraulic hose and features adjustable tension - Needle Starter pin to quickly and confidently set needle insert into hose - Textured handle grip for comfortable operation - For use with unthreaded needle inserts	- 只需按壓手柄即可快速安裝油針 - 雙向夾具設計 適用於 5.0 和 5.5 mm 油管，使操作更精準 - 設有油針固定器，能輕鬆精確地將油針安裝到管子中 - 防滑手柄設計，操作更舒適 - 適用於無螺紋的油針置入
		2-Way Clamp Flip the clamp up for 5.5mm hose, or down for 5.0mm hose. The tension can also be adjusted as needed. 雙向夾具 向上扳動夾具，適用 5.5mm 油管，向下扳動夾具，則適用 5.0mm 油管。	Original Design Quickly and confidently press needle inserts into hydraulic hose. The sliding piston ensures straight installation, while the long lever arm reduces effort. 原創設計 可快速且精準地將油針插入油管。活動式滑軌設計可確保油針直線對位安裝，加長型按壓握臂則有效提升施力效率，使操作更加省力穩定。
		Textured Grip The front handle features a textured surface for better grip during operation. 人體工學握柄 握柄前端採用波浪狀止滑表面設計，於操作過程中提供穩定握持，有效提升控制性與安全性。	Needle Starter A pin set into the handle can be used to quickly start the needle into the hose. 頂針 握柄底端的頂針可快速將油針預組入油管。

Bleed Kit 注油工具

Part No.	型號	Description	描述
WST030-OEM		Pro DOT Bleed Kit - Includes syringes and universal adapters with squeeze valves - Compatible with most DOT fluid hydraulic disc brakes from Avid®, SRAM®, Formula®, Hayes®, and Hope® - Black seals provide easy identification for use with DOT fluid systems only	專業款-注油工具-DOT - 包含注射器和帶擠壓閥的通用轉接頭 - 與大多數Avid®、SRAM®、Formula®、Hayes® 和 Hope® 品牌的DOT 油壓碟煞系統兼容 - 黑色密封圈便於識別，僅適用於DOT 系統
WST077-OEM		Pro Mineral Oil Bleed Kit - Includes syringes and universal adapters with squeeze valves - Compatible with most mineral oil fluid hydraulic disc brakes from Shimano®, Magura®, Tektro®, TRP®, and Hayes® - Red seals provide easy identification for use with mineral oil fluid systems only	專業款-注油工具-礦物油 - 包含注射器和帶擠壓閥的通用轉接頭 - 與大多數Shimano®、Magura®、Tektro®、TRP® 和 Hayes® 品牌的礦物油液壓碟煞系統兼容 - 紅色密封圈便於識別，僅適用於礦物油系統
WST087-OEM		Sport Mineral Oil Bleed Kit - Includes single syringe to connect on caliper side and a cup-style fitting for the lever - Features a stopper plug for cup as well as a cup stand - Compatible with all contemporary Shimano® mountain and road hydraulic brakes with the included M7 adapter - Red seals provide easy identification for use with mineral oil fluid systems only	標準款-注油工具-礦物油 - 包含單個注射器，用於連接至卡鉗端，以及一個杯型接頭用於煞車把手 - 配有油杯塞和杯架 - 與所有Shimano® 山地和公路液壓煞車系統兼容，並附有M7 轉接頭 - 紅色密封圈便於識別，僅適用於礦物油系統

Exploring New Horizons for Control Systems

For more than 20 years, Jagwire has pioneered new territory in the manufacture of high performance control systems. As an ISO 9001/TS-16949 company we have an unyielding commitment to quality.

Faster, Leaner, Better

Fully committed to process improvement, our experienced engineering staff is always looking for ways to enhance quality, reduce errors and increase customer satisfaction. Partnering with Toyota, we integrated the highly efficient Toyota Production System (TPS). Our balanced blend of automation and manual processes helps us manage flow and volume, resulting in unsurpassed quality and efficiency. And as a member of the Taiwan A-Team manufacturing group, we develop improved business strategies and tactics to reduce lead times, improve quality and cut defects and waste.

Environment & Community

Recognizing our vital role as responsible global citizens, we strive to produce products that meet the exacting requirements of government agencies for performance, safety and environmental impact. Our primary control system products are CPSIA, Proposition 65 and CEN certified.

Chia Cherne Industry Company, Ltd Warranty Policy

EXTENT OF LIMITED WARRANTY

Chia Cherne/Jagwire warrants its products to be free from defects in materials or workmanship for a period of two years after original purchase. This warranty only applies to the original owner and is not transferable. Claims under this warranty must be made through the retailer where the bicycle or the Jagwire product was purchased. Original proof of purchase is required. Complete product warranty information is available by visiting jagwire.com. Or a copy may be requested via email.

Email: info@jagwire.com

Product Safety & Installation

WARNING: Many bicycle service and repair tasks require special knowledge and tools. In order to help minimize the chances of an accident and possible injury, it is critical that you have any installation, repair or maintenance performed by a professional bicycle mechanic or dealer. Do not begin any adjustments or service on your bicycle yourself until you have learned from your mechanic or dealer how to properly complete them. Improper adjustment or service may result in damage to the bicycle or an accident, which can cause serious injury or death.

Consult your dealer or mechanic for help in determining your maintenance requirements. Like any mechanical device, a bicycle and its components are subject to wear and stress. Different materials and mechanisms wear or fatigue from stress at different rates and have different life cycles. If a component's life cycle is exceeded, the component can fail, causing serious injury or death to the rider. Scratches, cracks, fraying of wires and discoloration are signs of stress-caused fatigue and indicate that a part is at the end of its useful life and needs to be replaced. While the materials and workmanship of bicycle components may be covered by a warranty for a specified period of time by the manufacturer, this is no guarantee that the product will last the term of the warranty. Product life is often related to riding style and product care. A component warranty is not meant to suggest that the component cannot be broken or will last forever.

Before installing any component or accessory make sure that it is compatible with your bicycle by checking with your dealer.

WARNING:

1. Riding with improperly adjusted brakes, worn brake pads, worn control cables or housings is dangerous and can result in serious injury or death.
2. Applying brakes too hard or too suddenly can lock up a wheel, which could cause you to lose control and fall. Sudden or excessive application of the front brake may pitch the rider over the handlebars, which may result in serious injury or death.
3. Some bicycle brakes, such as disc brakes and linear-pull brakes are extremely powerful. Take extra care in becoming familiar with these brakes and exercise particular care when using them.
4. Disc brakes can get extremely hot with extended use. Be careful not to touch a disc brake until it has had plenty of time to cool.
5. See the brake manufacturer's instructions for operation and care of your brakes. If you do not have the manufacturer's instructions, see your dealer or contact the brake manufacturer.

WARNING: Jagwire cables, housings and brake pads are not intended for use on any motorized bicycle or vehicle. Any such use could result in a serious personal injury.

Brake Inspection

Inspecting your bicycle's braking systems before each ride is critical to your safety. Check the brakes for proper operation.

- Squeeze the brake levers
- Are the brake quick-releases closed?
- All control cables seated and securely engaged?
- Do the brake pads contact the wheel rim squarely and make full contact with the rim?
- Are the bolts that attach your brake pads to the brake caliper tight?
- Do the brake pads touch the wheel rim within an inch of brake lever movement?
- Can you apply full braking force at the levers without having them touch the handlebar?

If not, your brakes need adjustment. Do not ride the bike until the brakes are properly adjusted by a professional bicycle mechanic.

The effectiveness of braking is dependent on environmental factors and equipment condition over which Jagwire has no control. Consult the owner's manual for your bicycle and a professional bike mechanic or dealer to learn more about proper braking techniques and always practice riding and braking techniques on a flat and level surface prior to riding.

Under wet conditions, the stopping power of your brakes is dramatically reduced. In wet conditions, ride slowly and apply your brakes earlier than you would under normal, dry conditions.

Inspect your brakes, cables and brake pads regularly for damage, and always inspect them thoroughly after any crash or severe impact. If you detect damage, please have your bicycle inspected by a professional bike mechanic or dealer.

Important: If the brake pads are worn until the grooves disappear, replace them with new pads. If wheel rims are excessively worn from braking, replace them with new rims.

Cables

Improper set-up or use of brake control cables can result in loss of control or lead to a serious accident, which could lead to a severe injury.

It is your responsibility to ensure that your brake control system cables are functioning properly before each ride. Consult the owner's manual for your bicycle and a professional bike mechanic or dealer to learn more about proper cable installation and maintenance techniques.

Inspect your cables & housings regularly for damage or wire fraying, and always inspect them thoroughly after any crash or severe impact. If you detect damage, please have your bicycle inspected by a professional bike mechanic or dealer.

Important: If your control system wires begin to fray, your housing end caps show any signs of damage or your housing is kinked, replace them with new products.

Installation Assistance

Downloadable instructions are available on www.jagwire.com, or by contacting Jagwire directly.

Europe - jageurope@nowcompany.com

Asia - service@jagwire.com.tw

North & South America - tech@jagwire.com

Trademarks

All trademarks, service marks and trade names of Jagwire and Chia Cherne used herein are trademarks or registered trademarks of the Chia Cherne Industry Company, Ltd. Use of any trademarks or other intellectual property of Chia Cherne, without the express written consent of Chia Cherne, is prohibited.

Copyright (c) 2020—Chia Cherne Industry Company, Ltd.

We Support:



HEAD OFFICE CHIA CHERNE TAIWAN

No. 55, Alley 121
Lane 175, Kousheng Rd.
Changhua City, Taiwan
Ph: +886.4.732.3090
Fx: +886.4.732.1824
service@jagwire.com.tw

CHIA CHERNE EUROPE

Klein Frankrijkstraat 24
9600 Ronse, Belgium
Ph: +32 55 30 41 65
Fx: +32 55 30 42 65
info@jagwire-europe.com

CHIA CHERNE CHINA - KUNSHAN

1465 Honghu Rd,
Kunshan Economic & Technical Development Zone,
Jiangsu Province, China
Ph: +86 512 5016 5058
Fx: +86 512 5016 5060
jcac@jagwire.com.tw

CHIA CHERNE CHINA - SHENZHEN

Haosan Shangxing
No. 3, Haoshi Street, Nanhuan Road,
Shaqi Community, Xinqiao Subdistrict,
Boan Zone, Shen Zhen City
P.C.518104, China
Ph: +86 755 2727 2835
Fx: +86 755 2727 2837
service@jagwire.com.cn

CHIA CHERNE VIETNAM - KAKOSI CO., LTD

Khu Công Nghiệp Bình Xuyên, Thị trấn Hương
Canh, Huyện Bình Xuyên, Tỉnh Vĩnh Phúc
Ph: +84 (211) 222 2567 (Ext 101)
Fx: +84 (211) 222 2555
kakosi_lin@hotmail.com

