



JAGWIRE™
2022 OEM product catalog



JAGWIRE™

We specialize in one thing, and we do it well.

Jagwire 只專心致力於一件事，並將它做到盡善盡美。

Twenty-five years ago the Jagwire brand was born with the simple goal of providing the best shifting and braking systems for bicycle riders, dealers, and manufacturers. We're honored and humbled that our products have been so widely accepted in the industry for so many years and that our business continues to grow.

And while we're continuously focused on the future and developing the best assortment of bike products available, we want to take a few minutes to thank all of our partners and customers.

Innovative, collaborative, passionate people.

創新·合作·熱情的團隊

INDEX 目錄

02	Cable	內線系統
03	Brake Housing	煞車外殼
04	Shift Housing	變速外殼
08	Housing Color	外殼顏色
10	Steering Cables	轉向線組
13	Pro Dropper System	專業升降座管線控系統
16	Elite Link System	極致節式外殼系統
20	Elite Seal System	極致全防護系統
26	Installation Guide	零件配製圖
28	Housing Parts	外殼零件
34	Wire Holder	集線器
38	Tube Tops	保護套
39	Frame Parts	車架零件
40	Frame Plugs	車架塞蓋
42	Cable Parts	內線零件
44	Braking Parts	煞車零件
46	Adjuster	調整螺絲
49	Hydraulic System	油壓系列
60	Disc Brake Pads	來令片
66	Brake Pads	煞車皮


Cable System 內線系統

Elite



- ▲ Polished Ultra-slick cable with **Slick Lube** housing which delivers smooth braking performance.
超低摩擦係數 · 搭配JAGWIRE全注油**Slick Lube**外殼 · 提供精準的變速/順暢的煞車手感
- ▲ **Uncoated cable makes easier installation.**
奈米研磨無批覆層內線使組裝更加簡易
- ▲ STS-EL(Polished Ultra-Slick, Stainless)奈米級研磨不鏽鋼內線

Pro



- ▲ Polished Slick Stainless: Slick Stainless cable with a Polishing process removes imperfections and makes surface smoother which can offer lower friction.
不鏽鋼研磨內線加上拋光製程可移除不平整表面 · 讓線身更平整並且提供更低摩擦係數
- ▲ Uncoated cable makes easier installation
拋光製程無批覆層內線使組裝更容易
- ▲ STS-PS(Polished Slick Stainless) 高精研磨不鏽鋼內線



- ▲ Pre-stretching can more directly on the feedback of brake & precise shifting performance
內線已做預拉整直可讓煞車回饋更直接與更精準的變速
- ▲ Smooth surface & low friction
表面光滑&低摩擦力
- ▲ STS(Slick, Stainless)不鏽鋼研磨內線
GAS(Slick, Galvanized)鍍鋅研磨內線

Universal




- ▲ Regular cable
標準內線系統
- ▲ STR(Stainless Steel)不鏽鋼內線
GAR(Galvanized Steel)鍍鋅內線

Cable Nipple Options 內線鋅頭規格


Nipples are die-cast onto cable ends for durability and strength, adding to rider safety and confidence. All nipple types are compatible with any required cable specifications.

內線尾端的鋅頭是由鋅水經過鑄造程序所完成的，耐久性與強度提供了更安全與更安心的騎乘條件。所有的鋅頭樣式皆能夠符合目前所有煞車與變速系統的需求。


Brake 煞車



B02 (7*6)
Shimano® & SRAM®
MTB, BMX system compatible
適用於Shimano® & SRAM®
登山車, 表演車煞車系統



B04 (6*11)
Shimano® & SRAM®
Road System compatible
適用於Shimano® & SRAM®
公路車系統




B05 (5.5*11.6)
Campagnolo®
Road brake system compatible
適用於Campagnolo®
公路車煞車系統

Deraileur 變速




D01 (4.3*4.4)
Shimano® & SRAM®
shift system compatible
適用於Shimano® & SRAM®
變速系統



D02 (3.9*5)
Campagnolo® shift system
compatible
適用於Campagnolo®變速系統

Brake Housing 煞車外殼

Elite



KEB™

- ▲ Kevlar® brand fiber reinforced with compressionless housing for super braking
Kevlar®(克維拉®)高性能纖維包覆著直絲結構鋼線提供高性能煞車
- ▲ Ideal for cable-actuated disc brakes
機械式碟煞的最佳搭配首選
- ▲ Super light weight (30% less than standard coiled brake housing)
輕量化(較一般環狀外殼輕30%)
- ▲ Hi-tech look
高技術的外觀
- ▲ Compressionless
零壓縮比
- ▲ Slick-Lube specified
搭配順滑全注油內管
- ▲ 5.0mm Brake housing
5.0mm 煞車外殼

CAUTION: Reinforced (linear shell) brake housing must be used with Jagwire specific lined alloy ferrules or POP adapters to ensure compressionless braking performance

注意: 直絲結構強化外殼使用於煞車線必須搭配Jagwire特殊襯裡鋁端套系列或POP端套系列已確保更完整的煞車性能。POP端套為V煞夾器彎管專門設計的


Pro



CGX-SL

- ▲ Low compression
低壓縮比
- ▲ Low friction
低摩擦係數
- ▲ With Slick Lube liner
搭配順滑全注油內管

Universal




CEX

- ▲ Regular housing
標準外殼
- ▲ 5.0mm Brake housing
5.0mm 煞車外殼

Note: Standard OD=5mm for Brake Housing
備註: 煞車外殼標準外徑5mm

Shift Housing 變速外殼


Elite



FLEXII-SL

- ▲ Compressionless
直絲結構・零壓縮比
- ▲ Ultra low friction
超低摩擦係數
- ▲ With Slick Lube liner
搭配順滑全注油內管
- ▲ Lighter (↓15%) & flexible (↑30%)
輕量化(↓15%) & 線身更加柔軟(↑30%)
- ▲ The flexible feature helps internal cables
assemble more easy and efficiently.
適用於內走線車架系統・使組裝更有效率


Pro



LEX-SL

- ▲ Compressionless
直絲結構・零壓縮比
- ▲ Low friction
低摩擦係數
- ▲ With Slick Lube liner
搭配順滑全注油內管


Universal



LEX

- ▲ Compressionless
直絲結構・零壓縮比
- ▲ Regular housing
標準外殼

Note: Standard OD=4mm for Shift Housing. OD=4.5mm for Braided Series
備註：變速外殼標準外徑4mm，編織系列外徑為4.5mm



CGX-SL

- ▲ OD=4mm, only recommended on rear shift area
外徑4mm・只建議搭在後變後段
- ▲ Flexible structure
結構柔軟
- ▲ Low friction
低摩擦係數
- ▲ With Slick Lube liner
搭配順滑全注油內管



JAGWIRE FLEX II-SL



Housing Color 外殼顏色



BICYCLE CABLE HOUSING 外殼系列

Standard Series 標準系列

※All colors are available for **Brake Housing (CEX, CGX-SL)** and **Shift Housing (LEX, LEX-SL)** except #09.

各色均適用於**煞車CEX, CGX-SL**外殼系列與**變速 LEX, LEX-SL**外殼系列,除#09外

※#09 Translucent available with 5mm on coiled type housing only.

#09只提供5mm CEX環狀結構規格

※#01, #07, #35, #56 are available for CGX-SD, LEX-SD

#01, #07, #35, #56適用CGX-SD, LEX-SD

※#CB, #CC, #CD, #CE are available for LEX/CEX only.

#CB, #CC, #CD, #CE只適用LEX/CEX



Frozen Series 平光系列

※All colors are available for **Brake Housing (CGX-SL, CGX-SD)** and **Shift Housing (LEX-SL, LEX-SD)**

各色均適用於**煞車CGX-SL, CGX-SD**外殼系列,與**變速 LEX-SL, LEX-SD**外殼系列



ID-line 指示線系列

※All colors are available for **Brake Housing (CGX-SL)** and **Shift Housing (LEX-SL)**.

各色均適用於**煞車CGX-SL**外殼系列,與**變速 LEX-SL**外殼系列



Reflective Housing 反光系列

※All colors are available for **Brake Housing (CEX, CGX-SL)**.

各色均適用於**煞車CEX, CGX-SL**外殼系列.





Luminous 夜光系列

※All colors are available for **Shift Housing (LEX)**
 各色均適用於**變速LEX**外殼系列

	# RC 白 White		# RD 天空藍 Sky Blue		# RR 螢光綠 Neon Green		# RF 螢光橘 Neon Orange
---	-----------------	--	----------------------	--	------------------------	--	-------------------------

Braided Series 編織系列

※O.D. 5mm available for brake, **O.D. 4.5mm available for shift.**

煞車外殼外徑為5mm · 變速外殼外徑為4.5mm

※All colors are available for **Brake Housing (CGX-SL)** and **Shift Housing (LEX-SL)**.

各色均適用於**煞車CGX-SL**外殼系列與**變速 LEX-SL**外殼系列

Color options 可供選擇顏色

	# 95 編織棕 Braided carbon		# 99 編織鈦 Braided titanium		# A3 編織黑 Braided black		# A9 細編織棕 Light braided carbon
	# N1 編織銀 Braided silver		# N2 編織金 Braided gold		# N3 細編織鈦 Light Braided titanium		# M1 編織白 Braided white
	# M2 編織天空藍 Braided Sky Blue		# M3 編織紅 Braided Red		# B8 碳纖黑 Carbon Black		# A5 細編織銀 Light Braided Silver
	# B1 細編織黑 Light Braided Black		# 96 編織褐 Braided Bronze				

KEB Reinforced Series KEB強化編織系列

※ All color available for **Brake Housing KEB-SL**

各顏色均適用於**煞車KEB-SL**外殼系列

	# 21 馬吉斯橘 Maxxis® Orange		# B8 碳纖黑 Carbon Black		# E4 神秘紫 Purple		# 54 有機綠 Organic Green
	# 56 高貴紅 Red		# E6 西帝藍 SID Blue		# Q1 艷陽橘 Orange		# E9 銀河灰 Ice Gray
	# 86 鵝黃 Yellow						


NOTE:MOQ requirement for some colors.

備註:特定顏色有最低購買量的限制



Steering Cable set 轉向線組

Housing 外殼



KEB™

- ▲ OD=6mm
外徑=6mm
- ▲ Kevlar® brand fiber reinforced with compressionless housing for super braking
Kevlar®(克維拉®)高性能纖維包裹著直絲結構鋼線提供高性能煞車
- ▲ Super light weight (30% less than standard coiled brake housing)
輕量化(較一般環狀外殼輕30%)
- ▲ Hi-tech look
高科技的外觀
- ▲ Compressionless
零壓縮比
- ▲ Slick-Lube specified
搭配順滑全注油內管

Cable 內線



- ▲ OD=2mm
外徑=2mm
- ▲ Polished Slick Stainless: Slick Stainless cable with a Polishing process removes imperfections and makes surface smoother which can offer lower friction.
不鏽鋼研磨內線加上拋光製程可移除不平整表面，讓線身更平整並且提供更低摩擦係數
- ▲ Uncoated cable makes easier installation
拋光製程無批覆層內線使組裝更容易
- ▲ STS-PS(Polished Slick Stainless)
高精研磨不鏽鋼內線
- ▲ Pre-stretching reduces cable extensions and the frequency of cable length adjustments.
內線預拉，可減少內線延伸及調整次數






- ▲ OD=2mm
外徑=2mm
- ▲ STR(Stainless Steel)不鏽鋼內線


Cable Nipple Options 內線鋅頭規格

Nipples are die-cast onto cable ends for durability and strength, adding to rider safety and confidence. All nipple types are compatible with any required cable specifications.

內線尾端的鋅頭是由鋅合金經過鑄造程序所完成的，耐久性與強度提供了更安全與更安心的騎乘條件。所有的鋅頭樣式皆能夠符合目前所有煞車與變速系統的需求。




Steering cable set Accessories 轉向線組系統零件

Part No.	Description	Material / Finish
new CM406  	Lined End Cap Fits 6mm housing 襯裡端套,適用6mm轉向線組外殼	Aluminum/Anodized 鋁/陽極



Pro Dropper System 專業升降座管線控系統

Housing 外殼




3mm LEX-SL

- ▲ OD=3mm
外徑=3mm
- ▲ New flexible housing construction
柔軟變速外殼結構
- ▲ With Slick Lube liner
搭配順滑全注油內管

CAUTION: 3mm LEX-SL housing only can be applied with the Dropper system.

注意: 3mm LEX-SL外殼僅可使用在升降座管線控系統。



4mm FLEX-SL

- ▲ New flexible housing construction
柔軟變速外殼結構
- ▲ With Slick Lube liner
搭配順滑全注油內管

Flexible Construction 結構柔軟

- ▲ Flexible shift housing and cable improves performance with internal routing and tight housing bends
柔軟的外殼和內線搭配，可克服內走線較嚴苛的角度

Color Options 可供選擇顏色

07 黑
Black

Pro Dropper System Accessories 專業升降座管線控系統零件

Part No.	Description	Material / Finish
 CC1026DB	 Open End Cap Fits 3mm dropper housing 標準端套,適用3mm升降座管外殼	Nylon/Black 尼龍/黑色
 CC1043BJ	 Open End Cap Fits 3mm dropper housing 標準端套,適用3mm升降座管外殼	Aluminum/Anodized 鋁/陽極


Pro Dropper System



Cable 內線



new



▲ OD=0.9mm

外徑=0.9mm

- ▲ Polished Stainless: Stainless cable with a Polishing process removes imperfections and makes surface smoother which can offer lower friction.
不鏽鋼內線加上拋光製程可移除不平整表面，讓線身更平整並且提供更低摩擦係數
- ▲ STR-PS(Polished stainless steel) 拋光不鏽鋼內線。

new



▲ OD=0.9mm

外徑=0.9mm

- ▲ Lighter (↓40%) & flexible
輕量化(↓40%) & 線身更加柔軟
- ▲ STR(Stainless Steel)不鏽鋼內線

Enhanced Performance 增加做動順暢度

- ▲ 0.9mm Stainless Cable with slick-lube liner improves dropper post performance
0.9mm不鏽鋼內線搭配注油外殼可增加伸縮座桿做動順暢度

Pro Dropper System Accessories 專業升降座管線控系統零件

Part No.	Description	Material / Finish
new CCG091UB-1  	Heat Shrink Shims ID Ø1.5	
	熱縮套 內徑 Ø1.5	PO/Black
	Note: When you use a pointed set screw or bigger than a M4 screw, it must be assembled with a 0.9mm cable 備註: 使用尖頭或大於M4的止付螺絲需搭配熱縮套搭配0.9mm內線	PO塑膠/黑色









Guide Pipe 變速器彎管

Part No.			Description	Material / Finish
CCK034TB			Guide Pipe 135° 變速器彎管 135°	Stainless steel tube w/ aluminum end cap 不鏽鋼導管/鋁端套
CCK028AJ			Guide Pipe 90° 變速器彎管 90°	Stainless steel tube w/ aluminum end cap 不鏽鋼導管/鋁端套
CC727			Guide Pipe 90° 變速器彎管 90°	Stainless steel tube w/ aluminum end cap 不鏽鋼導管/鋁端套
CCK029T9			Guide Pipe 110° 變速器彎管 110°	Stainless steel tube w/ aluminum end cap 不鏽鋼導管/鋁端套
CC401-10			Guide Pipe 0 ~ 180° flexible 自由式變速器彎管 0 ~ 180°	Stainless steel tube w/ aluminum end cap 不鏽鋼導管/鋁端套
CC994			Guide Pipe 0 ~ 180° flexible 自由式變速器彎管 0 ~ 180°	Stainless steel tube w/ aluminum end cap 不鏽鋼導管/鋁端套









Elite LINK System


Link Shift Accessories Link變速零件

Part No.		Road	MTB	Description	Material / Finish
CC996	 	1		Adjuster Adapter 調整螺絲轉接端套	Aluminum / Black 鋁/黑色
CC729BJ	 	1		Double-Ended 4mm Housing Connector 4mm外殼雙邊導引端套	Aluminum / Black 鋁/黑色
CC597BJ	 	6 7	2 3 6	End Cap For Connecting Link 4mm Shifting Housing 轉接端套-轉接Link端套 4mm變速外殼	Aluminum / Black 鋁/黑色
CC542BJ	 	6 7	2 4 5 6	End Cap For The End Of Link Link尾端端套	Aluminum / Black 鋁/黑色
CCG004QBG	 	7	6	Dirt Guard 橡膠防塵套	Rubber / Black 橡膠/黑色
CC538BJ	 	8	1 3 8	Adapter For Horn Of Link Tube 連接內管喇叭口	Aluminum / Black 鋁/黑色

Link Brake Accessories Link煞車零件

Part No.		Road	MTB	Description	Material / Finish
CC539B	 	1		Adapter For Link and 5mm Braking Housing Link連接5mm煞車外殼	Aluminum / Black 鋁/黑色
CC541BJ	 	2 4 5	2 5 7 9 10	End Cap For The End Of Link Link尾端端套	Aluminum / Black 鋁/黑色
CC596BJ	 	2 3	2 3	End Cap For Connecting Link 5mm Braking Housing 轉接端套-轉接Link端套 5mm煞車外殼	Aluminum / Black 鋁/黑色
CC537BJ	 	3	1 3	Adapter For Horn Of Link Tube 連接內管喇叭口	Aluminum / Black 鋁/黑色
CC551BJ	 	4 5		Connector For C Type Braking Caliper C夾轉接端套	Aluminum / Black 鋁/黑色
CC544S	 		5 9	bent tube end cap for connecting link housing 彎管轉接端套	Aluminum / silver 鋁/銀色


Installation Guide
零配件裝置圖





Elite Sealed System 極致全防護系統


Sealed Shift Housing 全防護變速外殼



▲ Weight: 40% less than LGX housing
重量較LGX系統輕40%

▲ 5.0mm Shift housing
5.0mm 變速外殼

Sealed Brake Housing 全防護煞車外殼



Jagwire sealed systems include liners that run continuously from the lever to the brake or derailleur. This protects the cable and housing from dirt, mud or anything else that can cause friction. But because the liner runs the full length of the cable, a specially developed cable coating and lube are used to keep friction to a minimum. Jagwire 變速與煞車全防護系統採用從頭到尾的內管設計,完全阻隔任何會影響摩擦力的汙泥與雜質. 為了搭配全通內管,在外殼上開發特殊搭配低摩擦內線系統與新速動油品來達到極致低摩擦需求.

Completely sealed 長效/阻絕汙泥

▲ Continuous liner running from the lever to the brake caliper could offer completely sealed to prevent dirt and debris
全防護系統採用從手把端到卡鉗全內管防護,完全阻隔汙泥與雜質的影響

Reduce friction 降低摩擦力

▲ Polymer coated cable and paired it with the new Speed-Lube ultra slick lubricate used throughout the liner could reduce friction
搭配批覆內線與新速動全注油內管降低摩擦係數

Color options 可供選擇顏色

#01 白
White

#56 紅色
Red

#07Z 平光黑
Frozen Black

Elite Sealed System




Sealed System Shift Accessories 全防護系統變速零件

Part No.	Road	MTB	Description	Material / Finish
CC557BJ	1		Adapter for 4mm LEX/ 5mm LGX/XEX 4mm LEX轉5mm LGX/XEX	Aluminum / Black 鋁/黑色
CC467BJ	1 6 7 8	1 ~ 8	Standard End Cap For LGX/XEX LGX, XEX外殼標準端套	Aluminum / Black 鋁/黑色
CC115-3GB	1 6 7 8	1 ~ 8	Standard End Cap For LGX/XEX LGX, XEX外殼標準端套	Brass / silver 銅/銀色
CM299BJ	1		Inline Index Adjuster Adapter 4mm LEX/ 5mm LGX/XEX 定格式調整螺絲 4mm LEX轉5mm LGX/XEX	Alloy/Anodized/Black 鋁/陽極/黑色
CCG047B	8 9	4 8	Grub Seals, Fits Seal system Brake and Shift liner 迷你密封保護套 適用於全防護系統煞車與變速內管	Silicon Gel /Black 矽膠/黑色

Sealed System Brake Accessories 全防護系統煞車零件

Part No.	Road	MTB	Description	Material / Finish
CC115-3GA	1		Standard End Cap For CSX CSX外殼標準端套	Brass / silver 銅/銀色
CC466BJ	2 3 4 5		Standard End Cap For CSX CSX外殼標準端套	Aluminum / Black 鋁/黑色

Installation Guide
零配件裝置圖





Accessories 配件



INSTALLATION GUIDE 零配件裝置圖

Road Bicycle 公路車



Foam tube

發泡管

SFA07ANM

SFA07APM

SFA07ARM



Adjuster Barrel

調整螺絲

CM233-3BJ

CM093J



Tube Tops

保護套

CCG074-QBJ

CCG017-BJ, CCG025-BJ

CCG037

CCG043BJY

CCG052T



Frame Plug

車架塞蓋

CCN007NB

CCN078RB

CCN009

CCN81RB





Cable Management

集線管

CCZ107B

CCZ107T

CCZ129B

SH507AYM



Rotating Hook

導管集線器

CM143W

CC1009A1B-J

CCZ101A1B

EZ Clip Ring

導線開口環

CCQ023YBJ

CCQ024YBJ



Adhesive Attached

電線固定貼

CM380B

CM381B



Stick-on Guide

自黏式導線座系列






CME013B

CME011





ACCESSORIES

Housing Parts

Open End Cap for Shift Housing 變速用標準端套

Part No.		Description	Material / Finish	
 CC464BJ Black/黑色	 CC464CJ CP/本色	 CC464OJ Gold/金色	 Open End Cap, Fits 4mm Shifting housing (Recommended Use: SRAM® & Shimano® Shiftig System) 標準端套, 適用4mm變速外殼 (建議使用於SRAM® & Shimano®系統)	Aluminum / Anodized 鋁/陽極
 CC464RJ Red/紅色	 CC464SJ Silver/銀色	 CC464UJ Blue/藍色	 CC464EJ Cash Green/美金綠	
 CC115-4I Black/黑色		 Open End Cap (CNC), Fits 4mm thicker design for better enforcement 標準端套(CNC車削), 適用4mm變速外殼· 前端加厚設計·強度增加	Brass / Zinc Plated 銅/鍍鋅	
 CC115-4H Black/黑色	 CC115-4HS Silver/銀灰色	 Open End Cap, Fits 4mm housing 標準端套, 適用4mm變速外殼	Brass/Chromed Black Zine /Silver Nickel 銅/三價鉻鍍黑鋅/銀鍍鎳	
 CC115-4F Black/黑色	 CC115-4FS Silver/銀灰色	 Open End Cap, Fits 4mm housing 標準端套, 適用4mm變速外殼	Plastic 塑膠	
 CM115-4L Black/黑色	 CM115-4N silver/銀色	 Open End Cap (CNC) Fit 4.5mm Housing 標準端套(CNC), 適用4.5mm外殼	Brass/Chromed Black Zine /Silver Nickel 銅/三價鉻鍍黑鋅/銀鍍鎳	

Open End Cap for Brake Housing 煞車用標準端套

Part No.			Description	Material / Finish
 CC715BJ Black/黑色	 CC715CJ CP/本色	 CC715OJ Gold/金色	 Open End Cap, Fits 5mm Brake housing 標準端套, 適用5mm煞車外殼	Aluminum/Anodized 鋁/陽極
 CC715RJ Red/紅色	 CC715SJ Silver/銀色	 CC715UJ Blue/藍色	 CC715EJ Cash Green/美金綠	
 CC115-3 Satin silver/銀色	 CC115-3E Black/黑色		Open End Cap (CNC), Fits 5mm CEX, CGX 標準端套(CNC車削), 適用 5 mm CEX, CGX 外殼 , 前端加厚設計 , 強度增加	Brass/Chromed Black Zine /Silver Nickel 銅/三價鉻鍍黑鋅/銀鍍鎳
 CC115-2D Satin silver/銀色	 CC115-2DE Black/黑色		Non-Crimping End Cap, Fits 5mm CEX, CGX Taiwan Patent: 158536 爪式端套, 適用5mm CEX、CGX 外殼 台灣專利:158536	Brass/Chromed Black Zine /Silver Nickel 銅/三價鉻鍍黑鋅/銀鍍鎳
 CC115-2 Satin silver/銀色	 CC115-2E Black/黑色		Open End Cap, Fits 5mm CEX, CGX 標準端套, 適用5mm CEX、CGX 外殼	Brass/Chromed Black Zine /Silver Nickel 銅/三價鉻鍍黑鋅/銀鍍鎳



Sealed End Cap for Shift Housing 變速用油封端套



Part No.		Description	Material / Finish			
 CM176BJ Black/黑色	 CM176OJ Gold/金色	 CM176RJ Red/紅色	 CM176SJ Silver/銀色	 CM176UJ Blue/藍色	 CM176EJ Cash Green/美金綠	
 CM007 Black/黑色		 CM007S Silver/銀灰色	 CM207-A Black/黑色			
 CM174BJ Black/黑色		 CM174OJ Gold/金色	 CM174RJ Red/紅色	 CM174SJ Silver/銀色	 CM174UJ Blue/藍色	 CM174EJ Cash Green/美金綠

 CM176BJ Black/黑色	 CM176OJ Gold/金色	 CM176RJ Red/紅色	 CM176SJ Silver/銀色	 CM176UJ Blue/藍色	 CM176EJ Cash Green/美金綠	
 CM007 Black/黑色		 CM007S Silver/銀灰色	 CM207-A Black/黑色			
 CM174BJ Black/黑色		 CM174OJ Gold/金色	 CM174RJ Red/紅色	 CM174SJ Silver/銀色	 CM174UJ Blue/藍色	 CM174EJ Cash Green/美金綠

 CM176BJ Black/黑色	 CM176OJ Gold/金色	 CM176RJ Red/紅色	 CM176SJ Silver/銀色	 CM176UJ Blue/藍色	 CM176EJ Cash Green/美金綠	
 CM007 Black/黑色		 CM007S Silver/銀灰色	 CM207-A Black/黑色			
 CM174BJ Black/黑色		 CM174OJ Gold/金色	 CM174RJ Red/紅色	 CM174SJ Silver/銀色	 CM174UJ Blue/藍色	 CM174EJ Cash Green/美金綠




Lined End Caps 襯裡端套




Part No.	Description			Material / Finish
 CM251BJ Black/黑色	 Short Lined End Cap Fits 4mm housing 短襯裡端套, 4mm外殼使用			Aluminum / Anodized 鋁/陽極
 CM251OJ Gold/金色	 CM251RJ Red/紅色	 CM251SJ Silver/銀色	 CM251UJ Blue/藍色	 CM251EJ Cash Green/美金綠
 CM173BJ Black/黑色	 Lined End Cap, Fits 5mm Brake housing, built-out polymer nose, prevents abrasion of coated cables and reduces friction 襯裡端套, 適用5mm剎車外殼, 防止刮傷內線批覆層並減少摩擦			Aluminum/Anodized 鋁/陽極
 CM173OJ Gold/金色	 CM173RJ Red/紅色	 CM173SJ Silver/銀色	 CM173UJ Blue/藍色	 CM173EJ Cash Green/美金綠



Dirt Guard 防汙泥端套組




Part No.			Description	Material / Finish
CM261BJ Black/黑色			Dirt Guard Kit, Fits 4mm Shifting housing, Prevent dust from entering the housing 防汙泥端套組, 適用4mm變速外殼, 防止髒汙進入外殼	Aluminum /Anodized Silicone Gel /Black 鋁/陽極 矽膠/黑色
CM276 Black/黑色			Dirt Guard Kits, Fits 4mm housing, Prevent dust from entering the housing 防汙泥端套組, 適用於4mm外殼,防止髒汙進入外殼	Plastic/ Silicone Gel/ Black 塑膠/矽膠/黑色
CM262BJ Black/黑色			Dirt Guard Kit, Fits 4.5mm Shifting housing, Prevent dust from entering the housing 防汙泥端套組, 適用4.5mm變速外殼, 防止髒汙進入外殼	Aluminum /Anodized Silicone Gel /Black 鋁/陽極 矽膠/黑色

Hooded End Cap 防汙泥端套(精實版)

Part No.	Description		Material / Finish
 CM260OJ Gold/金色	 CM260BJ Black/黑色	 Hooded End Cap Fits 4mm Shifting housing, An Extra layer of protection against dirt 防汙泥端套(精實版) 適用於4mm外殼 增加結構防止髒汙進入	Alloy/ Anodized/Gold/Black NBR / Black 鋁/陽極/金色/黑色 橡膠/黑色
 CM271OJ Gold/金色	 CM271BJ Black/黑色	 Hooded End Cap Fits 4.5mm Shifting housing, An Extra layer of protection against dirt 防汙泥端套(精實版) 適用於4.5mm外殼 增加結構防止髒汙進入	Alloy/ Anodized/Gold/Black NBR / Black 鋁/陽極/金色/黑色 橡膠/黑色
 CM269OJ Gold/金色	 CM269BJ Black/黑色	 Hooded End Cap Fits 5.0mm brake housing, An Extra layer of protection against dirt 防汙泥端套(精實版) 適用於5mm外殼 增加結構防止髒汙進入	Alloy/ Anodized/Gold/Black NBR / Black 鋁/陽極/金色/黑色 橡膠/黑色

Anti-Kink End Cap 防折端套





Part No.	Description		Material / Finish
CC976 Black/黑色		 Anti-kink End Cap Fits 4mm Housing 防折端套 適用於4mm外殼	Plastic/Black 塑膠/黑色
CC977 Black/黑色		 Anti-kink End Cap Fits 4.5mm Housing 防折端套 適用於4.5mm外殼	Plastic / Black 塑膠/黑色
CC978 Black/黑色		 Anti-kink End Cap Fits 5mm Housing 防折端套 適用於5mm外殼	Plastic / Black 塑膠/黑色


ACCESSORIES

Housing Parts





Connect End Cap 連接端套

Part No.			Description	Material / Finish
 CC729SJ Sliver/銀色	 CC729BJ Black/黑色		Double-Ended Housing Connector 4.0 mm Derailleur Housing 雙邊外殼導引端套 4.0mm變速外殼	Aluminum 鋁
 CC728SJ Sliver/銀色			Double-Ended Housing Connector 4.5 mm Derailleur Housing 雙邊外殼導引端套 4.5mm變速外殼	Aluminum 鋁
 CC328AS-J Sliver/銀色	 CC328AB-J Black/黑色		Double-Ended Housing Connector 5.0mm Brake housing 雙邊外殼導引端套 5.0mm煞車外殼	Aluminum 鋁















POP End Cap POP轉接端套

Part No.	Description		Material / Finish
 CM029SJ1 Silver/銀色	 CM029BJ Black/黑色	 Fits 5mm Housing, designed specially for KEB® brake housing to work with a standard guide pipes and adjusters with a smaller inner diameter. 適用5mm外殼, 專為KEB外殼設計, 內縮設計剛好可放置於夾器內彎管	Aluminum / Anodized 鋁/陽極












Other 其他零件

Part No.			Description	Material / Finish
 CC115-9 Black/黑色			S Housing Holder, Fits 4 & 5mm housing S型導管集線器, 適用於 4、5mm外殼	Plastic 塑膠
 CM143 Black/黑色	 CM143W White/白色		Rotating Hook, Fits 4mm & 5mm housing Rotate 360° degrees 導管集線器,適用於 4、5mm外殼 可360°旋轉	Plastic 塑膠
 CM143-1 Black/黑色			Rotating Hook, Fits 2.5mm E-shift & 5mm housing Rotate 360° degrees 導管集線器,適用於2.5mm電線及5mm 外殼可360°旋轉	Plastic 塑膠
 CCG060BJ Black/黑色			Wire Hook for Di2, Fits 2.5mm E-shift & 5mm housing 雙孔整線器 適用於2.5mm電線及5mm外殼	Silicone Gel 矽膠












Other 其他零件

Part No.			Description	Material / Finish
CC999BJ			Wire Hook for Di2 EW-SD50 Fits 2.5mm E-shift & 5mm housing Open type 開放式雙孔整線器 適用於2.5mm電線及5mm外殼	Nylon/Black 尼龍/黑色
CC1009A1B-J			Wire Hook Fits 4mm & 5mm housing Open type 開放式雙孔整線器 適用於4mm及5mm外殼	Nylon/Black 尼龍/黑色
CC1010A1B-J			Wire Hook Fits 4mm Shifting and E-system Housing Open type 開放式雙孔整線器 適用於4mm 變速、電動車電線	Nylon/Black 尼龍/黑色
CC1012A1B-J			Wire Hook For Di2 EW-SD50 Fits 2.5mm E-shift and 4mm housing Open type 開放式雙孔整線器 適用於2.5mm電線及4mm外殼	Nylon/Black 尼龍/黑色
CC1020DB-J			Wire Hook Fits 5mm & 5mm housing Open type 開放式雙孔整線器 適用於5mm&5mm外殼	Nylon/Black 尼龍/黑色
CC1027DB-J			Wire Hook Fits 3mm & 4mm housing Open type 開放式雙孔整線器 適用於3mm & 4mm 外殼	Nylon/Black 尼龍/黑色
CC1028DB-J			Wire Hook Fits 3mm & 5mm housing Open type 開放式雙孔整線器 適用於3mm & 5mm 外殼	Nylon/Black 尼龍/黑色
 CC1039DB-J			Wire Hook for Di2 EW-SD300 Fits 2.4mm & 5mm housing Open type 開放式雙孔整線器 適用於2.4mm & 5mm 外殼	Nylon/Black 尼龍/黑色
CCN062BJ			Wire Holder for E-bike E-bike集線器	Nylon/Black 尼龍/黑色
CM348BJ			Wire Holder with hook for E-bike 帶扣式E-bike集線器	Nylon/Black 尼龍/黑色
CCQ023YB-J			EZ Clip Ring ID Ø19mm, Open type Fits 3.2 mm wire 導線開口環 內徑 Ø19mm, 適用3.2mm電線	Nylon/Black 尼龍/黑色
CCQ024YB-J			EZ Clip Ring ID Ø28mm, Open type Fits 3.2 mm wire 導線開口環 內徑 Ø28mm, 適用3.2mm電線	Nylon/Black 尼龍/黑色
CC333-1			Housing Holder, Fits V-Brake 導管集線器, 適用於V型夾器後煞端	POM/Black 塑膠/黑色
CC1010AB			Housing Holder, 4mm & 5mm 導管集線器 4mm & 5mm	POM/Black 塑膠/黑色

Other 其他零件

Part No.			Description	Material / Finish
CCZ101A1B			Wire Clip Fits 2.5mm E-shift & 5mm housing 集線夾 適用2.5mm電線&5mm外殼	Nylon/Black 尼龍/黑色
CC1021DB			Wire Clip Fits 4mm & 5mm housing 集線夾 適用4mm&5mm外殼	Nylon/Black 尼龍/黑色
SFA07ANM			Foam tube OD Ø8 * ID Ø5 發泡管 外徑Ø8*內徑Ø5	NBR/Black 橡膠/黑色
SFA07A5M			Foam tube OD Ø8.5*ID Ø5.5 發泡管 外徑Ø8.5*內徑Ø5.5	NBR/Black 橡膠/黑色
SFA07A7M			Foam tube OD Ø9*ID Ø6 發泡管 外徑Ø9*內徑Ø6	NBR/Black 橡膠/黑色
SFA07A6M			Foam tube OD Ø10*ID Ø7 發泡管 外徑Ø10*內徑Ø7	NBR/Black 橡膠/黑色
SFA07APM			Foam tube OD Ø11*ID Ø6 發泡管 外徑Ø11*內徑Ø6	NBR/Black 橡膠/黑色
SFA07ARM			Foam tube OD Ø11*ID Ø8 發泡管 外徑Ø11*內徑Ø8	NBR/Black 橡膠/黑色
SFA07AAM			Foam tube OD Ø15*ID Ø9 發泡管 外徑Ø15*內徑Ø9	NBR/Black 橡膠/黑色
SF301AKM			Foam tube OD Ø10*ID Ø6 (Fixed Length Cutting) 發泡管 外徑Ø10*內徑Ø6(定呎裁切)	EPE/White 珍珠棉/白色
CCZ107B			Spiral Wrapping Band OD: 10mm * Thickness: 0.8mm * Pitch: 12.3mm 捲式結束帶 外徑: 10mm * 厚度: 0.8mm * 螺距: 12.3mm	PE/Black PE塑膠/黑色
CCZ107T			Spiral Wrapping Band OD: 10mm * Thickness: 0.8mm * Pitch: 12.3mm 捲式結束帶 外徑: 10mm * 厚度: 0.8mm * 螺距: 12.3mm	PE/Transparent PE塑膠/透明




Other 其他零件

Part No.			Description	Material / Finish
CCZ129B			Spiral Wrapping Band OD: 4.5mm * Thickness: 0.6mm * Pitch: 6.5mm 捲式結束帶 外徑: 4.5mm * 厚度: 0.6mm * 螺距: 6.5mm	PE/Black PE塑膠/黑色
new SH507AYM			Abrasion Resistant Sleeve Open type, ODØ5 (Fixed Length Cutting) 開放式耐磨編織管 外徑Ø5(定呎裁切)	PET/Black 塑膠/黑色
SH507AM			Abrasion Resistant Sleeve Open type, ODØ8 (Fixed Length Cutting) 開放式耐磨編織管 外徑Ø8(定呎裁切)	PET/Black 塑膠/黑色
SH507AVM			Abrasion Resistant Sleeve Open type, ODØ13 (Fixed Length Cutting) 開放式耐磨編織管 外徑Ø13(定呎裁切)	PET/Black 塑膠/黑色
SH507AXM			Abrasion Resistant Sleeve Open type, ODØ25 (Fixed Length Cutting) 開放式耐磨編織管 外徑Ø25(定呎裁切)	Nylon/Black 尼龍/黑色
SAN07AWM			Nylon Tube OD: 6mm * 4.5mm Hardness: 80D 尼龍管 外徑: 6mm * 4.5mm 硬度: 80D	Nylon/Black 尼龍/黑色
SAN02AGM			Nylon Tube OD: 7mm * 5.5mm Hardness: 70D 尼龍管 外徑: 7mm * 5.5mm 硬度: 70D	Nylon/Transparent Black 尼龍/透明黑
SAN07AGM			Nylon Tube OD: 7mm * 5.5mm Hardness: 80D 尼龍管 外徑: 7mm * 5.5mm 硬度: 80D	Nylon/Black 尼龍/黑色
CM380B			Electric Cable Cover Fits 2.5mm cable Adhesive attached 電線固定貼 適用2.5mm電線 背膠設計	TPR/Black TPR橡膠/黑色
CM381B			Electric Cable Cover Fits 2.5mm cable Adhesive attached 電線固定貼 適用2.5mm電線 背膠設計	TPR/Black TPR橡膠/黑色
CM400			Cable connector 導線連接器組	Aluminum/Anodized/Black 鋁/陽極/黑色




ACCESSORIES

Housing Parts












Other 其他零件

Part No.	Description		Material / Finish
 CCG004QBG Black/黑色	 CCG004QGG Silver/銀色	 Dirt Guard Fits 4 & 4.5mm Nosed End Cap 橡膠防塵套, 適用4、4.5mm鼠尾端套	Silicone Gel 矽膠
 CCG014B Black/黑色	 CCG014R Red/紅色	 Dirt Guard, Fits 4mm & 4.5mm Nosed End Cap 外殼防水套, 適用於4mm、4.5mm鼠尾端套	Silicone Gel 矽膠
CCG047B		 Grub Seals, Fits Seal system Brake and Shift liner 迷你密封保護套 適用於全防護系統煞車與變速內管	Silicone Gel/Black 矽膠/黑色

Tube Tops 保護套系列

Part No.		Description	Material / Finish	
 CCG074-QBJ Black/黑色	 CCG074-QWJ White/白色	 Tube Tops 5G™ Frame Protector Fits 4, 4.5 & 5mm housing Clamp Type 5G雙開口式車架保護套 適用於4、4.5、5mm外殼	TPR TPR橡膠	
 CCG017-BJ Black/黑色	 CCG017-WJ White/白色	 Tube Tops 3G™ Frame Protector, Fits 4, 4.5 & 5mm housing Clamp Type 3G C型扣式車架保護套, 適用於4、4.5、5mm外殼	TPR TPR橡膠	
 CCG025-BJ Black/黑色	 CCG025-WJ White/白色	 Tube Tops 3G™ Frame Protector, Fits 5.5mm housing, Clamp Type 3G C型扣式車架保護套, 適用於5.5mm外殼	TPR TPR橡膠	
CCG037		 Tube Tops 4G, Frame Protector, Fit 4, 4.5 & 5mm housing, Slide type 4G車架保護套, 套入方式組裝, 適用於4、4.5、5mm外殼	Silicone Gel/Black Yellow logo 矽膠/黑色 黃色Logo	
 CCG043BJY Black/黑色	 CCG043TJS Translucent/透明	 Tube Tops™ Frame Protector, Fits 4, 4.5 & 5mm Frame, Slide type. 車架保護套,以套入方式組裝, 適用於4、4.5、5mm外殼	Silicone Gel Yellow logo/Grey logo 矽膠 黃色Logo/ 灰色Logo	
 CCG052B Black/黑色	 CCG052T Translucent/半透明	 CCG052R Red/紅色	 Mini Tube Tops™ Frame Protector, Fits 4, 4.5 & 5mm housings, Slide type, 迷你型車架保護套,以套入方式組裝, 適用於4、4.5、5mm外殼	Silicone Gel 矽膠
















Frame Parts 車架零件

Part No.	Description		Material / Finish
CC359			Housing/Hose Guide Fits Frame Loops 5.5mm 車架止栓導管座, 適用於5.5mm外殼 Plastic / Black 塑膠/黑色
CC359-1			Housing/Hose Guide Fits Frame Loops 5mm 車架止栓導管座, 適用於5mm外殼 Plastic / Black 塑膠/黑色
CC359-2			Housing/Hose Guide Fits Frame Loops 4 & 4.5mm 車架止栓導管座, 適用於4、4.5mm外殼 Plastic / Black 塑膠/黑色
CC359-4			Housing/Hose Guide one side Fits Frame Loops 4 & 4.5mm 車架止栓導管座,單邊 適用於4、4.5mm外殼 Plastic / Black 塑膠/黑色
CC270-1			Housing/Hose guide frame loop Fits 4 & 5mm housings 車架止栓導管座,適用4、5mm外殼 Plastic / Black 塑膠/黑色
CM063			EZ-bend super-flexible housing segment is designed for easy set-up of Kevlar® reinforced compressionless housings on road bike handlebars 公路車手把專用導線連結彎管, 搭配KEB輕量化外殼專用 Steel W/Alloy End Caps 透明外殼/鋁端套
CME011			Stick-on Cable Guide, 3M adhesive attached 塑膠導線座, 3M背膠設計 Plastic / Black 塑膠/黑色
CME013B Black/黑色			Alloy Stick-on Cable Guide, 3M adhesive attached 鋁合金導線座, 3M背膠設計 Aluminum / Black 鋁/黑色
CME013S Silver/銀色			
CCZ021PB			C Clip Frame Loop Housing Guide C型車架止栓專用外殼扣環 Plastic/Black 塑膠/黑色











ACCESSORIES

Bicycle Frame Parts

Frame Plugs 車架塞蓋

Part No.			Description	Material / Finish
CCN015			Plug for Internal Frame Routing For Close Type 車架止栓保護套 適用於無孔徑	EPDM / Black 橡膠/黑色
CCN007NB			Plug for Internal Frame Routing SHIMANO Di2 EW-SD50 2.0mm Frame 車架止栓/剖溝保護套 適用SHIMANO Di2 EW-SD50 車架厚度2.0mm	NBR / Black 橡膠/黑色
CCN007NB-1			Plug for Internal Frame Routing 4mm Derailleur Housing 2.0mm Frame 車架止栓/剖溝保護套 適用4mm變速外殼 車架厚度2.0mm	NBR / Black 橡膠/黑色
CCN007NB-2			Plug for Internal Frame Routing 5mm Brake Housing 2.0mm Frame 車架止栓/剖溝保護套 適用5mm煞車外殼 車架厚度2.0mm	NBR / Black 橡膠/黑色
CCN007NB-3			Plug for Internal Frame Routing SHIMANO Ultegra Di2 EW-SD300 2.0mm Frame 車架止栓/剖溝保護套 適用SHIMANO Ultegra Di2 EW-SD300 車架厚度2.0mm	NBR / Black 橡膠/黑色
CCN027-1			Plug for Internal Frame Routing 5mm Brake Housing 1.2mm Frame 車架止栓/剖溝保護套 適用5mm煞車外殼 車架厚度1.2mm	NBR/ Black 橡膠/ 黑色
CCN027-3			Plug for Internal Frame Routing 4mm Derailleur Housing 1.2mm Frame 車架止栓/剖溝保護套 適用4mm變速外殼 車架厚度1.2mm	NBR/ Black 橡膠/ 黑色
CCN027-5			Plug for Internal Frame Routing SHIMANO Di2 1.2mm Frame 車架止栓/剖溝保護套 適用SHIMANO Di2 車架厚度1.2mm	NBR/ Black 橡膠/ 黑色
CCN009			Plug for Internal Frame Routing For Close type 車架止栓保護套 適用於無孔徑	EPDM / Black 橡膠/黑色
CCN009-1			Plug for Internal Frame Routing SHIMANO Di2 EW-SD50 車架止栓/剖溝保護套 適用SHIMANO Di2 EW-SD50	EPDM / Black 橡膠/黑色
CCN009-2			Plug for Internal Frame Routing 4mm Derailleur Housing 車架止栓保護套 適用4mm變速外殼	EPDM / Black 橡膠/黑色

Frame Plugs 車架塞蓋



Part No.			Description	Material / Finish
CCN009-3			Plug for Internal Frame Routing 5mm Brake Housing 車架止栓/剖溝保護套 適用5mm剎車外殼	EPDM / Black 橡膠/黑色
new CCN009-5			Plug for Internal Frame Routing SHIMANO Ultegra Di2 EW-SD300 2.4mm 車架止栓/剖溝保護套 適用SHIMANO Ultegra Di2 EW-SD300 2.4mm	EPDM / Black 橡膠/黑色
new CCN024-1			Plug for Internal Frame Routing 4mm Derailleur Housing 車架止栓保護套 適用4mm變速外殼	EPDM / Black 橡膠/黑色
CCN078RB			Plug for Internal Frame Routing Close type suggest on the Frame hole 5.7~6.0mm 車架止栓保護套 無孔推薦於車架孔徑5.7-6.0搭配	Silicone Gel/ Black 矽膠/黑色
CCN081RB			Plug for Internal Frame Routing Close type suggest on the Frame hole 6.0~6.3 車架止栓保護套 無孔推薦於車架孔徑6.0-6.3搭配	Silicone Gel/ Black 矽膠/黑色
CCN126EB			M4 Close Type Plug for Internal Frame Routing M4閉孔式塞蓋	EPDM/Black 橡膠/黑色
CCN118NB			M5 Close Type Plug for Internal Frame Routing M5閉孔式塞蓋	EPDM/Black 橡膠/黑色
CCN123NB			M6 Close Type Plug for Internal Frame Routing M6閉孔式塞蓋	EPDM/Black 橡膠/黑色
CCN111EB			Plug for Internal Frame Routing 車架止栓保護套 適用於無孔徑	EPDM / Black 橡膠/黑色
CCG081EB			Shim fits with 2.5mm wire 轉接襯條 適用於2.5mm電線	EPDM / Black 橡膠/黑色

ACCESSORIES

Cable Parts








Cable Tips 線尾套系列

Part No.		Description	Material / Finish					
 CC117-A Silver/銀色		 Cable Crimps, Fits 1.0 - 1.2mm cables, Open type 內線尾套, 適用1.0 - 1.2mm線徑 (變速內線適用)	Aluminum / Anodized 鋁/陽極					
 CC117-AO Gold/金色	 CC117-AB Black/黑色	 CC117-A06 Red/紅色	 CC117-AU Blue/藍色	 CC117-AK Bianchi/必洋奇藍				
 CC117-C Silver/銀色	 CC117-CO Gold/金色	 Cable Crimps, Fit 1.0 - 1.8mm cables, Open type For Brake and shifting system 內線尾套,適用1.0 - 1.8mm線徑 (煞車、變速內線適用)	Aluminum / Anodized 鋁/陽極					
 CC117-C06 Red/紅色	 CC117-C07 Black/黑色	 CC117-C08 Blue/藍色	 CC117-C24 Pink/粉紅色	 CC117-C61 Cash Green/綠色	 CC117-C68 Purple/紫色	 CC117-CJ6 Tango/橘色	 CC117-CK Bianchi/必洋奇藍	









Cable Donuts 防刮墊圈系列

Part No.	Description		Material / Finish
 CC170-B Black/黑色	 CC170-C Translucent/透明	 Cable Donuts, Fit 1.1 - 1.2mm cables, Octagonal Shape O型環-八角形狀(內線防刮墊圈), 適用1.1 - 1.2mm線徑(變速內線)	Polymer 橡膠
 CC170-BO Black/黑色	 CC170-CO Translucent/透明	 Cable Donuts, Fit 1.1 - 1.2mm cables, Round shape O型環-圓形形狀(內線防刮墊圈), 適用1.1 - 1.2mm線徑(變速內線)	Polymer 橡膠
 CC171-B Black/黑色	 CC171-C Translucent/透明	 Cable Donuts, Fit 1.1 - 1.8mm cables, Octagonal Shape O型環-八角形狀(內線防刮墊圈), 適用1.1-1.8mm線徑(變速、煞車內線)	Polymer 橡膠
 CC171-BO Black/黑色	 CC171-CO Translucent/透明	 Cable Donuts, Fit 1.1 - 1.8mm cables, Round Shape O型環-圓形(內線防刮墊圈), 適用1.1 - 1.8mm線徑(變速、煞車內線)	Polymer 橡膠





Braking Parts

44





Part No.			Description	Material / Finish
CC222T			Guide pipe 110° 煞車器彎管110°	Stainless steel tube w/ stainless end cap 不鏽鋼導管/不鏽鋼端套
CC223A			Guide pipe 135° 煞車器彎管135°	Stainless steel tube w/ aluminum end cap 不鏽鋼導管/鋁端套
CC401-2			Guide pipe, 0~180° flexible 自由式煞車器彎管0°~180°	Stainless steel tube w/ aluminum end cap 不鏽鋼導管/鋁端套
CMD021B3			POP guide pipe 90°, alloy end tips (designed specially for Kevlar® reinforced cable housing) POP煞車器彎管90°鋁端套,KEB輕量化外殼專用	Stainless steel tube w/brass end cap 不鏽鋼導管/銅端套
CMD022B3			POP guide pipe 110°, alloy end tips (designed specially for Kevlar® reinforced cable housing) POP煞車器彎管110°鋁端套,KEB輕量化外殼專用	Stainless steel tube w/ brass end cap 不鏽鋼導管/銅端套
CMD221S0			Adjuster guide pipe 90° alloy end tips 90°鋁端頭轉接彎管 (內含彈簧緩衝結構)	Stainless steel tube w/ aluminum end cap 不鏽鋼導管/鋁端套




Adjuster 調整螺絲

Part No.	Description		Material / Finish
CM019B-1 Black/黑色			
CM019W White/白色			
M5 index adjuster, Shimano® STI shifting cable boss compatible Taiwan Patent: 168957 M5定格調整螺絲・公路車下管止栓用・適用於Shimano® STI系統 台灣專利:168957			
		Rubberized Cap/ Steel Bolt/Silver 皮革漆/ 鐵螺絲/銀色	
CM136B Black/黑色			
CM136W White/白色			
M5 index adjuster, Shimano® STI shifting cable boss compatible Taiwan Patent: 168957 M5定格調整螺絲・公路車下管止栓用・適用於Shimano® STI系統 台灣專利:168957			
		Rubberized Cap/ Aluminum Bolt/Silver 皮革漆/ 鋁螺絲/銀色	
CM160BJ			
Mini in-line adjuster Fits 4mm shift housing 迷你同軸式調整螺絲 適用於4mm變速外殼			
		Aluminum / Rubberized coating 鋁/皮革漆	
CM093J			
Mini in-line adjuster Fits 4mm shift housing 迷你同軸式調整螺絲 適用於4mm變速外殼			
		Aluminum / Anodized / Titanium finish 鋁/陽極/鈦色	
CM353B			
Inline index Adjuster Fits 4mm shift housing 定格式調整螺絲 適用於4mm變速外殼			
		Plastic/Black 塑膠/黑色	
CM157BJ			
Rocket adjuster, For Shimano® STI Shift Levers. Adds index adjustments at the lever. "火箭"調整螺絲・適用於Shimano STI公路車手把			
		Aluminum bolt / Argon plated / Black Rubberized cap / Black 鋁螺絲/鍍銀/黑 皮革漆/黑	



Part No.	Description		Material / Finish
CM233-3BJ 		Mini-Inline index Adjuster Fits 4mm shift housing 迷你定格式調整螺絲 適用於4mm變速外殼	Aluminum/Anodized/Black 鋁/陽極/黑色
CM233-1DJ Titanium/鈦色 CM233-1BJ Black/黑色 CM233-1SJ Silver/銀色	 	New- Inline Index/ Detent Adjusters Fits 4mm shift housing 定格式調整螺絲 適用於4mm變速外殼	Aluminum/Anodized 鋁/陽極
CM272BJ 		New- Inline Index/ Detent Adjusters Fits 4.5mm shift housing 定格式調整螺絲 適用於4.5mm變速外殼	Aluminum/Anodized/Black 鋁/陽極/黑色
CM265BJ 		New-Inline index Adjusters Fits 5mm Brake housing 定格式調整螺絲 適用於5mm煞車外殼	Aluminum/Anodized/Black 鋁/陽極/黑色





Hydraulic Brake Hose 碟煞高壓油管



Item 項目	Dimension 尺寸	Tubing 內管	Reinforcement 編織層	Jacket 批覆層	Burst Strength 爆破係數	Compression 壓縮比		Color options 適用顏色
						at 1500psi	at 3000psi	
BE002	2.0 x 5.0	PBT	Polyester	Nylon	10000 psi+	1.7ml	3.9ml	Sole Colors單色系列
FK008	2.0 x 5.0	Tefzel®	Kevlar	Nylon	12000 psi+	1.6ml	3.7ml	Sole & Braided Color 單色&編織系列

NOTE:

The hose materials and dimensions are available to specify according to requirements from customers. Featuring Jagwire Teflon® tubing is optional for high and low temperature resistance.

注意:

高壓油管系列在原料與尺寸可依客戶特殊需求製作。
Jagwire高壓油管特色在於可以承受高溫與低溫的使用條件

Available system: Shimano®、SRAM®、Magura®、Formula®、Hayes®、Hope®、Tektro®
適用系統: Shimano®、SRAM®、Magura®、Formula®、Hayes®、Hope®、Tektro®

Color Options 可供選擇顏色

▲ Sole Colors 單色系列

01 白
White

07 黑
Black

Q1 艷陽橘
Orange

54 有機綠
Organic Green

56 高貴紅
Red

E6 西帝藍
SID Blue

▲ Braided Series 編織系列

N1 編織銀
Braided silver




N2 編織金
Braided gold

#95 編織棕
Braided carbon






ACCESSORIES







Housing Parts

Shimano Hydraulic Hose fittings 油管接頭零件

Part Number	Contain	Manufacturer	Compatible Models
S01		Shimano®	● XTR M975 ● Deore XT M775 ● SLX M665 ● Deore LX T665, M585 ● Hone M601 ● Deore T615, M595, M535, M525 ● Aline S500, S501 ● Metrea U5000 ● Alivio M4050 ● Acrea M3050 ● Non-Series T605, M447, MT500 ● M575, M486, M485, M446 ● M445, M395, M365, M355, M315
S02		Shimano®	● XTR M9020, M9000, M988, M987, M985 ● Saint M820 ● Deore XT M8000, M785, T785 ● SLX M7000, SLX M675, M666, ZEE M640 ● Aline S700
S03		Shimano®	● Saint M810
S04		Shimano®	● Deore M6000, M596, M615 ● Deore LX T675
S05 FIT J-kit spec		Shimano®	● Road/CX RS805, RS785, RS505, RS405
S06		Shimano®	● R9120/R9170/R8070/R7070



Shimano®

Part No.	Description		Material / Finish
CC998		 Needle (Inserts) Fits BH59 Hydraulic Hose 油針 適用BH59油管	Brass 銅/本色
CC944		 Needle (Inserts) Fits BH90 Hydraulic Hose Fits Jagwire Hydraulic Hose 油針 適用BH90油管 適用Jagwire 油管	Stainless Steel 不鏽鋼/本色
CCC010		 Compression Bushing 迫緊環	Brass 銅/本色
CCA058IA		 Compression Nut (External) 迫緊螺絲 (外牙式)	Steel / Black 鐵/黑色
CCA071I10		 Compression nut (External) 迫緊螺絲 (外牙式)	Steel/ Chromed/Black 鐵/三價鉻鍍黑鋅/黑色

Part No.			Description	Material / Finish	
CCA125IA	F			Compression Nut (External) 迫緊螺絲(外牙式)	Steel/Chromed/Black 鐵/三價鉻鍍黑鋅/黑色
CCG040-B	G			Caliper-End Protector Fits Brake Lever-end 保護套 適用於油壓碟剎把手端	Silicone Gel / Black 橡膠/黑色
CCG005	H			Caliper - End Protector Fits Brake Caliper End 保護套 適用於油壓碟剎卡鉗端	Silicone Gel / Black 橡膠/黑色
new CCR075AC	I			Banjo end (Assembled parts only) 胡琴接頭 (以組件出貨)	Aluminium/Silver 鋁合金/本色
CCF051T9	J			Compression nut (Assembled parts only) 壓著端端套 (以組件出貨)	Stainless Steel/Silver 不銹鋼/本色
CCI010NR	K			O-Ring O型環油封	NBR/Red 橡膠/紅色

Bicycle Hydraulic Disc Brake Parts

Part Number	Contain	Manufacturer	Compatible Models
A02		SRAM®	● SRAM® Guide RSC (A1), Guide RS (A1) Guide R (A1); Level TL; DB5 ● Avid® Elixir R, CR, CR Mag, 5, 7, 9, X0, XX2012+ XX World Cup 2012; 7 Trail, 9 Trail, X0 Trail
A04 FIT Stealth-a-majig		SRAM®	● SRAM® G2 Ultimate, G2 RSC, G2 RS, G2 R; Guide Ultimate, Guide RSC (B1), Guide RS (B1), Guide R (B1); ● Avid® XX World Cup 2010-2011, XX™ 2010-2011; Juicy Ultimate™, Juicy Carbon, Juicy Seven™, Juicy Five™ ● LEVEL TLM, Ultimate CODE 2018 R. RSC
A05 FIT Stealth-a-majig		SRAM®	● Juicy3 ● CODE COD2008-2010, 5, 7, R 2011, 2017 ● Elixir 1, 3 ● DB 2016 1, 3, 2017 1, 3, 5 ● Guild RE
A06		SRAM®	● Red22(B1)Post Mount; Force 1, CX1 Post Mount; Rival22, Rival 1 Post Mount; Apex Post Mount, S700 HRD(B1)
A07		SRAM®	● Level Ultimate (A1), TLM (A1); Code RSC (A1), Code(B1)
A08		SRAM®	● Red eTap AXS HRD Monoblock (2019); Red eTap HRD (2017-2019); S900 Aero HRD (2017-2019)

Part No.			Description	Material / Finish
CCR023	A		Needle (Inserts) Fits SRAM® Stealth-a-majig System (Have to assemble with CCR024) 油針 適用SRAM® Stealth-a-majig系統 必須搭配CCR024使用	Stainless Steel/without finish 不銹鋼/本色
CCR024	B		Compression Bushing Fits SRAM® Stealth-a-majig System (Have to assemble with CCR023) 迫緊環 適用SRAM® Stealth-a-majig系統 必須搭配CCR023使用	Alloy/without finish 鋁/本色
CCA072I6	C		Compression Nut (External) Fits SRAM® System Juicy Series, CODE Series, Elixir Series, XX 迫緊螺絲 (外牙式) 適用SRAM® 系統 Juicy, CODE, Elixir, XX系列	Steel/Black 鐵/黑色
 CCA124IA	D		Compression Nut Fits SRAM® System Red eTap AXS HRD Monob- lock(2019); Red eTap HRD(2017- 2019); S900 Aero HRD(2017-2019) 迫緊螺絲 適用SRAM® 系統 Red eTap AXS HRD Monob- lock(2019); Red eTap HRD(2017- 2019); S900 Aero HRD(2017-2019)	Steel/Chormed/Black 鐵/鉻/黑色





Part No.				Description	Material / Finish
new CCA135T9	E			Fitting 接頭螺絲	Stainless Steel/without finish 不銹鋼/本色
CCG040-B	F			Caliper-End Protector Fits Brake Lever End 保護套 適用於油壓碟剎把手端	Silicone Gel / Black 橡膠/黑色
CCG005	G			Caliper - End Protector Fits Brake Caliper End 保護套 適用於油壓碟剎卡鉗端	Silicone Gel / Black 橡膠/黑色
CCF051T9	H			Compression nut 壓著端端套	Stainless Steel/Silver 不銹鋼/本色
new CCF073AC	I			Compression nut (Assembled parts only) 壓著端端套 (以組件出貨)	Alloy/Anodized 鋁合金/陽極
new CCR074AB	K			Banjo end (Assembled parts only) 胡琴接頭 (以組件出貨)	Alloy/Anodized/Black 鋁合金/陽極/黑色
new CCR077AC	L			Banjo end (Assembled parts only) 胡琴接頭 (以組件出貨)	Alloy/Anodized 鋁合金/陽極
CC740	M			Needle Bolt Fits SRAM® System, Elixir Series 卡鉗端接頭 適用SRAM®系統, Elixir 系列	Stainless Steel/Silver 不銹鋼/本色
CCI010EB	N			O-Ring Ø6.0*1.0 O型環油封 Ø6.0*1.0	Polymer/Black 橡膠/黑色
new CCI034EB	O			O-Ring Ø7.0*1.4 O型環油封 Ø7.0*1.4	Polymer/Black 橡膠/黑色
new CCI035EB	P			O-Ring Ø7.4*1.3 O型環油封 Ø7.4*1.3	Polymer/Black 橡膠/黑色
new CCC075EB	Q			O-Ring Ø3.7*1.5 O型環油封 Ø3.7*1.5	Polymer/Black 橡膠/黑色
new CCC076EB	R			O-Ring Ø2.1*1.5 O型環油封 Ø2.1*1.5	Polymer/Black 橡膠/黑色
new CCC077EB	S			O-Ring Ø6.0*1.5 O型環油封 Ø6.0*1.5	Polymer/Black 橡膠/黑色
new CCC060JB	T			O-Ring Ø5.5*1.2 O型環油封 Ø5.5*1.2	Polymer/Black 橡膠/黑色

Bicycle Hydraulic Disc Brake Parts

Part Number	Contain	Manufacturer	Compatible Models
M03		Magura®	● MT Trail, MT8, MT7, MT6, MT5, MT4
M04		Magura®	● Gustav M 2000—2010 ● Marta 2007—2010 ● Marta Gold 2007 ● Marta SL 2008—2010

Part No.		Description	Material / Finish
CC703	A	Needle (Insert) Fits Magura® System 油針 適用Magura®系統	Steel/ Chromed/Black 鐵/三價鉻鍍黑鋅/黑色
CC707	B	Compression Bushing Fits Magura® System 迫緊銅環 適用Magura®系統	Brass/without finish 銅/本色
CCA071I10	C	Compression nut (External) Fits Magura® System 迫緊螺絲(外牙式) 適用Magura®系統	Steel/ Chromed/Black 鐵/三價鉻鍍黑鋅/黑色
CCA102I1	D	Compression nut (External) Fits Magura® MT8,MT6,MT4,MT2 System 迫緊螺絲(外牙式) 適用Magura® MT8,MT6,MT4,MT2系統	Steel/ Chromed 鐵/三價鉻鍍白鋅/本色
CCG040-B	E	Caliper-End Protector Fits Brake Lever End 保護套 適用於油壓碟剎把手端	Silicone Gel / Black 橡膠/黑色





Part No.			Description	Material / Finish
CCG005	F		 Caliper - End Protector Fits Brake Caliper End 保護套 適用於油壓碟剎卡鉗端	Silicone Gel / Black 橡膠/黑色
CCF051T9	H		 Compression nut (Assembled parts only) 壓著端端套 (以組件出貨)	Stainless Steel/Silver 不銹鋼/本色
 CCR076AC	I		 Banjo end (Assembled parts only) 胡琴接頭 (以組件出貨)	Alloy/Anodized 鋁合金/陽極
 CCI033NR	J		 O-Ring O型環油封	NBR/Red 橡膠/紅色

Housing Parts

Part Number	Contain	Manufacturer	Compatible Models
F01		Formula®	● ORO
F02		Formula®	● R1R, R1, R0, RX, T1, Mega

Part No.			Description	Material / Finish
CC775	A		Needle(Inserts) Fits Formula®-R1,THE ONE,MEGA System 油針 適用Formula®-R1,THE ONE,MEGA系統	Brass 銅/本色
CC777	B		Compression Bushing Fits Formula®-R1,THE ONE,MEGA System 迫緊環 適用Formula®-R1,THE ONE,MEGA系統	Brass 銅/本色
CC776	C		Compression Nut (External) Fits Formula®-R1,THE ONE,MEGA System 迫緊螺絲(外牙式) 適用Formula®-R1,THE ONE,MEGA系統	Steel/Silver 鐵/銀色
CCG040-B	D		Caliper-End Protector Fits Brake Lever End 保護套 適用於油壓碟剎把手端	Silicone Gel / Black 橡膠/黑色
CCG005	E		Caliper - End Protector Fits Brake Caliper End 保護套 適用於油壓碟剎卡鉗端	Silicone Gel / Black 橡膠/黑色
CCF051T9	F		Compression nut (Assembled parts only) 壓著端端套 (以組件出貨)	Stainless Steel/Silver 不銹鋼/本色
new CCR075AC	G		Banjo end (Assembled parts only) 胡琴接頭 (以組件出貨)	Stainless Steel/Silver 不銹鋼/本色
CC778	H		Compression nut Fits Formula®-ORO System 胡琴接頭對鎖螺絲 適用Formula®-ORO系統	Stainless Steel/Silver 不銹鋼/本色
CC779	I		Banjo End Fits Formula®-ORO System 胡琴接頭 適用Formula®-ORO系統	Stainless Steel/Silver 不銹鋼/本色
CCI010EB	J		O-Ring O型環油封	Polymer/Black 橡膠/黑色

Hayes Hydraulic Hose fittings 油管接頭零件

Part Number	Contain	Manufacturer	Compatible Models
H01		Hayes®	● Prime Expert ● Prime Pro ● Prime Comp ● Stroker Trail ● Stroker Carbon ● Stroker Ace ● Stroker Gram
H02		Hayes®	● Dyno Sport ● Dyno Comp ● Prime Sport ● Radar ● Stroker Ryde

Hayes®

Part No.	Description	Material / Finish
CC914	Needle Fits Hayes Hydraulic Hose 油針 適用Hayes系列油管	Brass 銅/本色
CC913	Compression Nut 迫緊螺絲	Steel/Black 鐵/黑色
CCG040-B	Caliper-End Protector Fits Brake Lever End 保護套 適用於油壓碟剎把手端	Silicone Gel / Black 橡膠/黑色
CCG005	Caliper - End Protector Fits Brake Caliper End 保護套 適用於油壓碟剎卡鉗端	Silicone Gel / Black 橡膠/黑色
CCF051T9	Compression nut (Assembled parts only) 壓著端端套 (以組件出貨)	Stainless Steel/Silver 不銹鋼/本色
CCR075AC	Banjo end (Assembled parts only) 胡琴接頭 (以組件出貨)	Stainless Steel/Silver 不銹鋼/本色
CCI010EB	O-Ring O型環油封	Polymer/Black 橡膠/黑色

Housing Parts

Part Number	Contain	Manufacturer	Compatible Models
T01		Tektro®	● Auriga Comp ● Auriga Comp WS ● Draco ● Draco WS ● Draco 2 ● Gemini
T02		Tektro®	● Tektro® Auriga Pro ● Gemini SL ● Orion, Orion SL ● Volans ● TRP® Slate T4 ● Quadiem, Quadiem SL ● Dash Carbon, Dash Sport

Part No.			Description	Material / Finish
new CM414	A		Needle Compatible with Jagwire Hydraulic Hose 油針 適用Jagwire系列油管	Brass 銅/本色
new CC1045	B		Compression Bushing 迫緊環	Brass 銅/本色
CCA07216	C		Compression Nut (External) Fits SRAM® System Juicy Series, CODE Series, Elixir Series, XX 迫緊螺絲 (外牙式) 適用SRAM®系統 Juicy, CODE, Elixir, XX系列	Steel/Black 鐵/黑色
CCG040-B	D		Caliper-End Protector Fits Brake Lever End 保護套 適用於油壓碟剎把手端	Silicone Gel / Black 橡膠/黑色
CCG005	E		Caliper - End Protector Fits Brake Caliper End 保護套 適用於油壓碟剎卡鉗端	Silicone Gel / Black 橡膠/黑色
CCF051T9	F		Compression nut (Assembled parts only) 壓著端端套 (以組件出貨)	Stainless Steel/Silver 不銹鋼/本色
CC706	G		Banjo end (Assembled parts only) 胡琴接頭 (以組件出貨)	Stainless Steel/Silver 不銹鋼/本色
CCI010NR	H		O-Ring O型環油封	NBR/Red 橡膠/紅色



DISC BRAKE PADS



Comp 通用型

Jagwire Mountain disc brake pads are a great alternative to OEM. They feature a high performance, yet low-noise semimetallic compound mounted to a steel backing plate.

- 使用高質量鐵材質背版
- 複合式磨耗材質適用於一般氣候使用
- 低噪音、耐磨耗



Comp Organic 有機通用型

Jagwire Comp Organic pads feature all-new resin compound. Mounted on a steel backing plate, this compound gives good power and modulation, while keeping noise to a minimum. Great for riders primarily riding in dry conditions.

- 使用高質量鐵材質背版
- 搭配特殊有機物質磨耗材質適用於一般氣候使用
- 低噪音



Lite 輕量型

pads feature a lightweight aluminum backing plate attached to the same quiet and high-performance semi-metallic compound found on our Mountain Sport series disc pads. Weight is reduced by nearly 50%. These pads are perfect for cross-country applications.

- 輕量化鋁合金背版，重量較為標準款碟煞來令片輕50%
- 複合式磨耗材質適用於一般天候、路況使用
- 低噪音、耐磨耗



Heavy Duty 耐用型

Mountain Pro Extreme pads feature an aggressive sintered compound that provides maximum stopping power making it perfect for DH riding. The dense, sintered compound also resists water making it extremely effective in wet conditions.

- 燒結來令片，長效能、耐磨耗的特性，給您更專業的煞停效果
- 專為濕式、泥濘路況或下坡賽道重量級車款設計使用

new









E-Bike 電動車



E-bike disc brake pads are tuned to provide additional stopping power and durability. They also offer consistent modulation with little braking noise. Designed for the unique demands of pedal-assist E-bikes, these pads are perfect for both city E-bikes and E-MTBs.

- 電動車專用磨耗材質
- 完美搭配城市電動車與電動登山車
- 低噪音

Shimano®



Brake Model		Comp 通用型	Comp Organic 有機通用型	Lite 輕量型	Heavy Duty 耐用型	E-Bike 電動車
XTR M9020, M9000, M987, M985; Deore XT M8100, M8000, M785; SLX M7100, M7000, M675, M666; Deore M6000, M615; Alfine S700; Road/CX RS785, R785, CX77, CX75, R517, R515, R317, R315	 	DBL641-4	DBL641-7	DBL641-1	DBL731-1	 DBL641-12
XTR M9100; Dura Ace R9170; Ultegra R8070; 105 R7070; Tiagra 4770; GRX RX810, RX400; Road/CX RS805, RS505, RS405, RS305; Metrea U5000	 	DBL505-1	DBL505-4	DBL505-5	DBL505-9	N/A
XTR M9120; Saint M820, M810; Deore XT M8120, M8020; SLX M7120; ZEE M640; Non-Series MT520, MT420	 	DBL762-2	DBL762-3	N/A	DBL762-1	 DBL762-7
XTR M975, M966, M965, Saint M800, Deore XT M776, M775, M765, SLX M665, Deore LX T665, M585, Hone M601, Deore M596, M595, M535, Alfine S501, S500, Non-Series T605, R505, M545	 	DBL390-1	N/A	N/A	N/A	N/A
Deore LX T675, Deore T615, M525, M515, M515-LA, Alivio M4050, Acera M3050, Nexave C601, C501, Tourney TX805, Non-Series MT500, MT400, MT200, M575, M486, M485, M475, M465, M447, M446, M445, M416, M416A, M415, M395, M375, M365, M355, M315, UR300	 	DBL370-1	DBL371-9	N/A	N/A	 DBL370-4

Formula®








Brake Model		Comp 通用型	Comp Organic 有機通用型	Lite 輕量型	Heavy Duty 耐用型	E-Bike 電動車
R1R, R1, C1, CR3, T1R, T1, ROR, RO, Cura	 	DBL581-2	DBL581-6	DBL580-4	DBL711-1	N/A
ORO	 	DBL401	N/A	N/A	N/A	N/A

DISC BRAKE PADS







Magura®

Brake Model			Comp 通用型	Comp Organic 有機通用型	Lite 輕量型	Heavy Duty 耐用型	E-Bike 電動車
MT8 SL, MT8 Pro, MT8, MT8 SL Flatmount, MT Trail SL (Rear), MT Trail Sport (Rear), MT6, MT4, MT4 Flatmount, MT4e, MT2, MT Sport			DBL671-1	DBL671-4	DBL671-3	N/A	DBL671-5
MT7 Pro, MT7, MT Trail SL (Front), MT Trail Sport (Front), MT5, MT5e			DBL761-1	DBL761-2	N/A	N/A	DBL761-3



Tektro®, TRP®

Brake Model			Comp 通用型	Comp Organic 有機通用型	Lite 輕量型	Heavy Duty 耐用型	E-Bike 電動車
TRP® Quadiem, G-Spec Quadiem, Slate T4, G-Spec Slate, G-Spec DH, Zurich; Tektro® Orion 4P, Dorado 4P			DBL762-2	DBL762-3	N/A	DBL762-1	 DBL762-7
TRP® Hylex Flat Mount, Hylex RS Flat Mount, HD-T910; Tektro® HD-R510, HD-R310			DBL505-1	BDL505-4	DBL505-5	DBL505-9	N/A
Tektro® Volans, Auriga Twin, Auriga SUB, Auriga E-SUB, TRP® Parabox 2011 Rear			DBL681-1	N/A	N/A	N/A	N/A
TRP® HY/RD Post Mount, Hylex Post Mount, Hylex RS Post Mount, Parabox 2012, Slate X2, Spyre, Spyre SLC, Spyke; Tektro® Aquila, Auriga, Auriga E-Comp, Auriga E-Tune, Auriga E-Twin, Auriga Pro, Auriga Tune, Dorado HD-E715, Draco, Draco 2, Draco WS, Gemini, HD-E350, HD-M285, HD-M286, HD-T285, HDC330, Junior, MD-C510, Orion, Orion SL, Vela			DBL370-1	DBL371-9	N/A	N/A	 DBL370-4
Tektro® IO			DBL561	N/A	N/A	N/A	N/A
Tektro® Lyra			DBL570-1	N/A	N/A	N/A	N/A
TRP® Dash, Dash Carbon, Parabox 2011 Front			DBL390-1	N/A	N/A	N/A	N/A


Hayes®

Brake Model			Comp 通用型	Comp Organic 有機通用型	Lite 輕量型	Heavy Duty 耐用型	E-Bike 電動車
Stroker Trial, Stroker Carbon, Stroker Gram			DBL600-1	N/A	N/A	N/A	N/A
Dyno, Stroker Ryde			DBL610-1	N/A	N/A	N/A	N/A
HFX-Mag Series, HFX-9 Series, MX1			DBL300-1	N/A	N/A	N/A	N/A
Sole, MX2, MX3, MX4, MX5, CX5			DBL430-1	N/A	N/A	N/A	N/A
new Dominion A2, Dominion T2			DBL776	N/A	N/A	N/A	N/A
new Dominion A4			DBL775-AL	N/A	N/A	N/A	N/A

Promax®

Brake Model			Comp 通用型	Comp Organic 有機通用型	Lite 輕量型	Heavy Duty 耐用型	E-Bike 電動車
Render, Render R, Decipher, DSK-330, DSK-330R, DSK-310, DSK-300, DSK-300R, DC913, DC720, DC710			DBL460-1	DBL461-2	N/A	N/A	N/A
F1, Solve, Solve-ST, Lucid, Decode R, eCapsule, DSK-909			DBL370-1	DBL641-7	N/A	N/A	new DBL370-4

RST®

Brake Model			Comp 通用型	Comp Organic 有機通用型	Lite 輕量型	Heavy Duty 耐用型	E-Bike 電動車
D-Power			DBL370-1	DBL371-9	N/A	N/A	new DBL370-4



Brake Pads

煞車皮

Brake Pad Compounds



- All-around performance
- Long wear

AW: 絕佳耐用效能・優異煞車效能適用於全路況



- Designed for wet weather control

Wet : 專為濕地路況設計增加製動力










- Specifically designed for carbon fiber braking surfaces

Carbon:適用於Carbon輪圈

BRAKE PADS

適用於C夾公路車(Shimano 或 SRAM)專用

Part No.	Description		Material / Color
P491AAW			Road Pro Skeleton Series 輕量化系列 AW/Silver/Alloy/PVD Length:50mm AW/銀色/鋁/PVD鈦色/50mm
P495AAW			Road Pro Skeleton Series 輕量化系列 AW/Black/Alloy/PVD Length:50mm AW/黑色/鋁/PVD鈦色/50mm
P431AAW			Road Sport 基本款系列 AW/Black/Alloy/PVD Length:50mm AW/黑色/鋁/PVD鈦色/50mm
P433AAW			Road Sport 基本款系列 AW/Black/Alloy/PVD Length:50mm AW/黑色/鋁/PVD鈦色/50mm
P453R			Elite Road inserts 公路車更換式煞車皮 AW/Black Length:50mm AW/黑色/50mm
P453RXR			Elite Road Red Zone inserts 公路車更換式煞車皮(濕式) RZ/Red Length:50mm RZ/紅色/50mm
P453RNU			Elite Road Carbon inserts 公路車更換式煞車皮(Carbon) Carbon/Blue Length:50mm Carbon/藍色/50mm

煞車皮




適用於C夾公路車(Campagnolo)專用

Part No.			Description	Material / Color
P402A			Road Pro Skeleton Series 輕量化系列	AW/Black /Alloy/ Black / Length:54mm AW/黑色/鋁/黑色/54mm
P475AAB			Road Sport 基本款系列	AW/Black /Alloy/ Black Length:54mm AW/黑色/鋁/黑色/54mm
P459RAB			Road Inserts 公路車替更式煞車皮	AW/Black/ Length:54mm AW/黑色/54mm
P403RAB			Campagnolo 2012+ Inserts Campagnolo 2012+更換式煞車皮	AW/Black/ Length:54mm AW/黑色/54mm

適用於公路車基本款系列

Part No.			Description	Material / Color
P451A			Basics comp road brake 公路車基本款	AW/Black/Length:50mm AW/黑色/50mm



適用於V夾登山車專用

Part No.			Description	Material / Color
P91AC			V Brake Compatible 整組登山車系列 (V型夾器專用)	AW/Black /Alloy/ Black Length:70mm AW/黑色/鋁/黑色/70mm
P91BC			V Brake Compatible 整組登山車系列 (V型夾器專用)	AW/Black /Alloy/ Silver Length:70mm AW/黑色/鋁/銀色/70mm
P919V			Canti Brake Compatible 整組登山車系列 (懸吊式夾器專用)	AW/Black /Alloy/ Black Length:70mm AW/黑色/鋁/黑色/70mm
P908C			V Brake Compatible 整組登山車系列 (V型夾器專用)	AW/Black /Alloy/ Silver Length:70mm AW/黑色/鋁/銀色/70mm

BRAKE PADS







適用於V夾登山車專用







Part No.			Description	Material / Color
P91DR			Brake Pad inserts 登山車更換式煞車皮	AW/Black Length:70mm AW/黑色/70mm
P91DRZ			Brake Pad inserts 登山車更換式煞車皮	RZ/Red Length:70mm RZ/紅色/70mm
P90XR			Brake Pad inserts 登山車更換式煞車皮	BS/Black Length:70mm BS/黑色/70mm
P90XRXR			Brake Pad inserts 登山車更換式煞車皮	RZ/Red Length:70mm RZ/紅色/70mm

適用於登山車懸臂V夾基本款系列

Part No.			Description	Material / Color
P909T			Compatible V Brake 整組登山車系列 (V型夾器專用)	AW/Black Length:70mm AW/黑色/70mm
P908T			Compatible V Brake 整組登山車系列 (V型夾器專用)	AW/Black Length:70mm AW/黑色/70mm

適用於登山車懸臂V夾基本款系列

Part No.			Description	Material / Color
P908T-Y			Compatible V Brake 整組登山車系列 (V型夾器專用)	AW/Black/Yellow Length:70mm AW/黑色/黃色/70mm
P908T-R			Compatible V Brake 整組登山車系列 (V型夾器專用)	AW/Black/Red Length:70mm AW/黑色/紅色/70mm
P908T-P			Compatible V Brake 整組登山車系列 (V型夾器專用)	AW/Black/Pink Length:70mm AW/黑色/粉紅色/70mm
P908T-B			Compatible V Brake 整組登山車系列 (V型夾器專用)	AW/Black/Blue Length:70mm AW/黑色/藍色/70mm

Part No.			Description	Material / Color
P908T-G			Compatible V Brake 整組登山車系列 (V型夾器專用)	AW/Black/Gray Length:70mm AW/黑色/灰色/70mm
P947T			Compatible V Brake 整組登山車系列 (V型夾器專用)	AW/Black/Yellow Length:70mm AW/黑色/黃色/70mm
P908H			Compatible Canti Brake 整組登山車系列 (懸吊式夾器專用)	AW/Black Length:70mm AW/黑色/70mm
P909H			Compatible Canti Brake 整組登山車系列 (懸吊式夾器專用)	AW/Black Length:70mm AW/黑色/70mm
P910H			Compatible Canti Brake 整組登山車系列 (懸吊式夾器專用)	AW/Black Length:55mm AW/黑色/55mm
P900H			Compatible Canti Brake 整組登山車系列 (懸吊式夾器專用)	AW/Black Length:70mm AW/黑色/70mm

Exploring New Horizons for Control Systems

For more than 20 years, Jagwire has pioneered new territory in the manufacture of high performance control systems. As an ISO 9001/TS-16949 company we have an unyielding commitment to quality.

Faster, Leaner, Better

Fully committed to process improvement, our experienced engineering staff is always looking for ways to enhance quality, reduce errors and increase customer satisfaction. Partnering with Toyota, we integrated the highly efficient Toyota Production System (TPS). Our balanced blend of automation and manual processes helps us manage flow and volume, resulting in unsurpassed quality and efficiency. And as a member of the Taiwan A-Team manufacturing group, we develop improved business strategies and tactics to reduce lead times, improve quality and cut defects and waste.

Environment & Community

Recognizing our vital role as responsible global citizens, we strive to produce products that meet the exacting requirements of government agencies for performance, safety and environmental impact. Our primary control system products are CPSIA, Proposition 65 and CEN certified.

Chia Cherne Industry Company, Ltd Warranty Policy

EXTENT OF LIMITED WARRANTY

Chia Cherne/Jagwire warrants its products to be free from defects in materials or workmanship for a period of two years after original purchase. This warranty only applies to the original owner and is not transferable. Claims under this warranty must be made through the retailer where the bicycle or the Jagwire product was purchased. Original proof of purchase is required. Complete product warranty information is available by visiting jagwire.com. Or a copy may be requested via email.

Email: info@jagwire.com

Product Safety & Installation

WARNING: Many bicycle service and repair tasks require special knowledge and tools. In order to help minimize the chances of an accident and possible injury, it is critical that you have any installation, repair or maintenance performed by a professional bicycle mechanic or dealer. Do not begin any adjustments or service on your bicycle yourself until you have learned from your mechanic or dealer how to properly complete them. Improper adjustment or service may result in damage to the bicycle or an accident, which can cause serious injury or death.

Consult your dealer or mechanic for help in determining your maintenance requirements. Like any mechanical device, a bicycle and its components are subject to wear and stress. Different materials and mechanisms wear or fatigue from stress at different rates and have different life cycles. If a component's life cycle is exceeded, the component can fail, causing serious injury or death to the rider. Scratches, cracks, fraying of wires and discoloration are signs of stress-caused fatigue and indicate that a part is at the end of its useful life and needs to be replaced. While the materials and workmanship of bicycle components may be covered by a warranty for a specified period of time by the manufacturer, this is no guarantee that the product will last the term of the warranty. Product life is often related to riding style and product care. A component warranty is not meant to suggest that the component cannot be broken or will last forever.

Before installing any component or accessory make sure that it is compatible with your bicycle by checking with your dealer.

WARNING:

1. Riding with improperly adjusted brakes, worn brake pads, worn control cables or housings is dangerous and can result in serious injury or death.
2. Applying brakes too hard or too suddenly can lock up a wheel, which could cause you to lose control and fall. Sudden or excessive application of the front brake may pitch the rider over the handlebars, which may result in serious injury or death.
3. Some bicycle brakes, such as disc brakes and linear-pull brakes are extremely powerful. Take extra care in becoming familiar with these brakes and exercise particular care when using them.
4. Disc brakes can get extremely hot with extended use. Be careful not to touch a disc brake until it has had plenty of time to cool.
5. See the brake manufacturer's instructions for operation and care of your brakes. If you do not have the manufacturer's instructions, see your dealer or contact the brake manufacturer.

WARNING: Jagwire cables, housings and brake pads are not intended for use on any motorized bicycle or vehicle. Any such use could result in a serious personal injury.

Brake Inspection

Inspecting your bicycle's braking systems before each ride is critical to your safety. Check the brakes for proper operation.

- Squeeze the brake levers
- Are the brake quick-releases closed?
- All control cables seated and securely engaged?
- Do the brake pads contact the wheel rim squarely and make full contact with the rim?
- Are the bolts that attach your brake pads to the brake caliper tight?
- Do the brake pads touch the wheel rim within an inch of brake lever movement?
- Can you apply full braking force at the levers without having them touch the handlebar?

If not, your brakes need adjustment. Do not ride the bike until the brakes are properly adjusted by a professional bicycle mechanic.

The effectiveness of braking is dependent on environmental factors and equipment condition over which Jagwire has no control. Consult the owner's manual for your bicycle and a professional bike mechanic or dealer to learn more about proper braking techniques and always practice riding and braking techniques on a flat and level surface prior to riding.

Under wet conditions, the stopping power of your brakes is dramatically reduced. In wet conditions, ride slowly and apply your brakes earlier than you would under normal, dry conditions.

Inspect your brakes, cables and brake pads regularly for damage, and always inspect them thoroughly after any crash or severe impact. If you detect damage, please have your bicycle inspected by a professional bike mechanic or dealer.

Important: If the brake pads are worn until the grooves disappear, replace them with new pads. If wheel rims are excessively worn from braking, replace them with new rims.

Cables

Improper set-up or use of brake control cables can result in loss of control or lead to a serious accident, which could lead to a severe injury.

It is your responsibility to ensure that your brake control system cables are functioning properly before each ride. Consult the owner's manual for your bicycle and a professional bike mechanic or dealer to learn more about proper cable installation and maintenance techniques.

Inspect your cables & housings regularly for damage or wire fraying, and always inspect them thoroughly after any crash or severe impact. If you detect damage, please have your bicycle inspected by a professional bike mechanic or dealer.

Important: If your control system wires begin to fray, your housing end caps show any signs of damage or your housing is kinked, replace them with new products.

Installation Assistance

Downloadable instructions are available on www.jagwire.com, or by contacting Jagwire directly.

Europe - jageurope@nowcompany.com

Asia - service@jagwire.com

North & South America - tech@jagwire.com

Trademarks

All trademarks, service marks and trade names of Jagwire and Chia Cherne used herein are trademarks or registered trademarks of the Chia Cherne Industry Company, Ltd. Use of any trademarks or other intellectual property of Chia Cherne, without the express written consent of Chia Cherne, is prohibited.

Copyright (c) 2020—Chia Cherne Industry Company, Ltd.

We Support:





HEAD OFFICE CHIA CHERNE TAIWAN

No. 55, Alley 121
Lane 175, Kousheng Rd.
Changhua City, Taiwan
Ph: +886.4.732.3090
Fx: +886.4.732.1824
service@jagwire.com.tw

CHIA CHERNE EUROPE

Klein Frankrijkstraat 24
9600 Wavre
Belgium
Ph: +32 55 30 41 65
Fx: +32 55 30 42 65
info@jagwire-europe.com

CHIA CHERNE CHINA - KUNSHAN

1465 Hongshu Rd,
Kunshan Economic & Technical Development Zone,
Jiangsu Province, China
Ph: +86 512 5016 5058
Fx: +86 512 5016 5060
jcac@jagwire.com.tw

CHIA CHERNE CHINA - SHENZHEN

Haosan Shangxing
Industrial Zone No. 71
Nanhuan Road, Shajing Town
Boan Zone, Shen Zen City
P.C.518125, China
Ph: +86 755 2727 2835
Fx: +86 755 2727 2837
service@jagwire.com.cn

CHIA CHERNE VIETNAM - KAKOSI CO., LTD

Khu Công Nghiệp Bình Xuyên, Thị trấn Hương
Cánh, Huyện Bình Xuyên, Tỉnh Vĩnh Phúc
Ph: +84 (211) 222 2567 (Ext 101)
Fx: +84 (211) 222 2555
kakosi_lin@hotmail.com

